



Climate Resilient Reforestation at Scale *Austin Rempel, Forest Restoration Manager*



1. Thornforest in the Lower Rio Grande Valley, Texas




2. The 2018 Camp Fire scar - Paradise, California

Examples of large-scale, climate-informed reforestation

Components of the Nation's Forest Sink EPA 2020 GHG Inventory

https://doi.org/10.2737/FS-RU-227



Our Forests Are Delivering for Climate



- 1. Tree Species
- 2. Tree Genetics
- 3. Planting Techniques
- 4. Adaptive Management
- + Partnerships and information-sharing

Climate Resilient Reforestation





Thornforest in the Lower Rio Grande Valley, Texas



- ~55 unique thornforest species (e.g. Texas ebony)
- 4,000 acres of marginal ag lands converted to wildlife refuge





Thornforest Restoration





530 species of birds, **300** species of butterfly and **11** threatened and endangered species including Texas tortoises, jaguarundis and ocelots


Biodiversity




Lower Rio Grande Valley



American Forests has planted over 2 million trees in 22 years!





Connectivity and Prioritization







- Planting species that will be able to better withstand future conditions
- Selecting and growing genetically diverse seeds
- Site preparation tactics that help native plants outcompete invasive species
- Seedling shelter tubes that dramatically increase plant survival

Adaptation Tactics
























Thornforest Conservation Partnership



Climate-informed Reforestation and Regeneration in the Camp Fire





Camp Fire (2018, 153,336 ac)
- 'pyrosilvicultural' founder
stands, provenance tests, oaks,
refugia

Adaptation Trials

















Restoration Partners

| Species | 2030 | 2060 |
|-------------------|------|------|
| Black oak | 59% | 42% |
| Interior live oak | 55% | 54% |
| Blue oak | 52% | 46% |
| Canyon live oak | 49% | 35% |
| Ponderosa pine | 39% | 34% |
| Douglas-fir | 31% | 25% |
| Sugar pine | 13% | 10% |

Conifer Transition Zone



Transition Zone - Douglas Fir





Post-fire shrub dominance



California mixed conifer




Oak and Gray Pine woodland/savannah


Transition



Monitoring and learning



This is Happening Everywhere



There are up to 127 million acres* of opportunity in the **United States to restore** forest cover for climate mitigation.

Reforesting these areas with approximately 68 billion trees could capture 314 million tonnes of CO₂ per year, equivalent to removing 74.1 million cars from the road.

| LOW | | | High |
|-------------------|-----------|-------|-----------|
| Total Opportunity | \$ | Acres | \$ |

Reforestation Hub

Front. For. Glob. Change | doi: 10.3389/ffgc.2021.629198

Challenges to the reforestation pipeline in the United States Provisionally accepted The final, formatted version of the article will

be published soon. Motify me

Joseph Fargione¹*,
 Diane L. Haase²,
 Owen T. Burney³,
 Olga A. Kildisheva¹, Greg Edge⁴,
 Susan C. Cook-Patton⁵,
 Teresa Chapman⁶, Austin Rempelⁿ,
 Matthew D. Hurteau⁶,
 Kimberley T. Davis⁶, Solomon Dobrowski¹⁰,
 Scott Enebak¹¹, Rafael De La Torre¹²,
 Arvind Bhuta¹³, Frederick Cubbage¹⁴, Brian Kittler¹⁵, Daowei Zhang¹¹ and Richard W. Guldin¹⁶

Assessing the Reforestation Pipeline


¹The Nature Conservancy (United States), United States

²Other, United States

³John T. Harrington Forestry Research Center, New Mexico State University, United Kingdom


⁴Division of Forestry, Wisconsin Department of Natural Resources, United States

⁵Natural Climate Solutions Science, The Nature Conservancy, United States



Assessing the Reforestation Pipeline

Seedbanks and nurseries are the engine for landscape-scale reforestation



Challenges to the Nursery Sector

