
## How to submit a sample to MSU Diagnostic Services



**Diagnostic Services** 

## **Sample Submission**

### **Collecting Plant Samples**

It is best to send entire plants, although we recognize this is not always possible. Plants with root and crown rot diseases cannot be properly diagnosed unless root and crown tissue is submitted. Dig, rather than pull, plants from the ground to preserve the root integrity. Submit plants with symptoms that are in varying stages of decline. Avoid sending samples that contain only dead plants. Growers with larger crops/ plantings are encouraged to submit multiple plants to ensure there is enough tissue for analyses by several diagnosticians with multiple methods. See below for instructions specific to various plant types.

### **Packaging Plant Samples**

Do not add wet paper towel or other sources of moisture when packaging samples. Plant material should be wrapped in dry newspaper and then placed in a plastic bag to preserve the integrity of the sample. When root tissue is included, wrap the root balls in plastic to prevent the soil from coming in contact with the foliage. Large samples (ex. tree branches) can be cut in sections for easier packaging. Do not ship any type of sample that will leak contents from the packaging (ex. severely rotted fruit, loose soil, etc.). Almost all samples should be shipped in a box, rather than an envelope. Leaves and stems that are pressed and mailed in envelopes do not arrive in good condition. Include a completed copy of the submittal form, put the form in a separate re-sealable bag to prevent it from getting damp or soiled.

### **Shipping Plant Samples**

Avoid shipping samples on Fridays; samples are not delivered to campus on weekends and may not arrive in the lab in good condition the following week. All major shipping companies deliver to the lab or campus. The shipping address is included on the top of the submittal form. Shipping containers/ materials are not returned to clients unless previous special arrangements are made.

### **Images of Plant Samples**

Images of the plants and the corresponding symptoms can be extremely helpful to the diagnostic staff. Images can be emailed to the lab. Please send multiple images including close up shots of the symptoms of concern, as well as images that show the entire plant/tree and its surroundings. In the email include your name and contact information, also indicate the date that the accompanying physical sample was or will be sent. Please note that out of focus images have limited or no value; we are not able to improve the focus of digital images. Images submitted to the lab may be used by lab staff, with proper photo credit, for educational purposes.

### **Out of State Clients**

Clients submitting samples that are collected outside of Michigan must follow some additional packaging protocols. Samples must be double bagged and sealed (ex. two ziplock freezer bags). Place the sealed bags in a sturdy shipping container. Our lab has USDA APHIS permits in place to accept samples from the continental U.S. Note, diagnostic fees are increased for out of state clients.

If you have any doubt about what or how to collect a good sample please contact the lab (517) 432-0988 or via <u>pestid@msu.edu</u>.

### Submit samples to:

Michigan State University Diagnostic Services 578 Wilson Rd., Rm. 107 East Lansing, MI 48824-6469 Phone: (517) 355-4536 Fax: (517) 432-0899

# How to submit a sample to MSU Diagnostic Services *(continued)*

## **Crop Specific Details**

**Herbaceous Plants:** When possible, send entire plants including roots and some soil. Roots and soil should be in a plastic bag tied off at the soil line to prevent soil from touching foliage. This plant material degrades fairly quickly; as a result plants should be dropped off in person or sent with overnight or priority shipping.

**Plugs/Seedlings:** It is tricky to get plugs submitted to the lab in good condition. Leave the plugs in the tray for shipping purposes. Entire trays are not required; a section of the tray can be cut and shipped. Submit a minimum of 12 plugs. Wrap the plug sheet in newspaper or add packing material that will prevent plugs from being dislodged from the tray. This plant material degrades fairly quickly; as a result plants should be dropped off in person or sent with overnight shipping.

**Tree Samples with Leaf Spots:** Select affected foliage, but wherever possible leave it attached to the branch. Send several affected samples representing the early and moderate stages of symptom progression. Although the sample may seem flat enough to package and ship in an envelope, please package and ship in a box. This protects the sample during the shipping process.

**Trees with Suspected Vascular Wilt diseases including Verticillium Wilt, Dutch Elm Disease, Oak Wilt:** Select branches that are partially wilted, with symptomatic leaves progressing from the tip of branches inward to the trunk. Be sure that branches are not totally wilted, dry, or dead. Select samples from up to three symptomatic branches per single tree. Branch samples should be at least 1 inch in diameter, cut into 6- to 8- inch lengths, and placed in large re-sealable plastic bags. Keep samples cool during sampling, shipping and storage, but do not freeze. Ship samples overnight mail (no later than Thursday) or deliver in person to the laboratory.

**Vegetables:** These samples may include plants, fruit, or both. If fruit rot is a concern select fruit that is in the initial stages of symptom development. Be sure to package in leak proof containers (ex. sealable plastic bags). Delivery personnel may not deliver packages that are leaking.

**Residential Turf:** Include a square of turf from the margin of the diseased area so that both healthy and diseased turf is included. Minimally, the turf square should be 6 inches x 6 inches. An intact layer of soil should remain on the root system. Wrap samples in newspaper and pack in a box for shipment. Do not add moisture to the turf prior to shipment. Provide a detailed description of cultural practices (irrigation, fertilization, pesticide application, etc.) and images of the symptoms in the lawn with the sample.

Please note that Diagnostic Services does not perform health analyses of golf course turf. Commercial turf samples are processed by the Turf Pathology Lab. Contact Dr. Joe Vargas, MSU Plant, Soil, and Microbial Sciences, at 517-353-9082 for further information on diagnosis of commercial turf samples. MSU Golf Turf Diagnostics Form.

## Weed/Plant Samples

**Herbaceous Plant Identification:** Submit a representative sample containing vegetative structures, leaves and flowers. Plants may be pressed flat between papers or cardboard to prevent leaf crinkling. For best results, plants should be submitted immediately after taking the sample.

**Woody Plant Identification:** Submit a large section of the terminal end of the stem or branch. Where possible, include any flower or fruiting structures. Leaves may be pressed flat between papers or cardboard to prevent leaf crinkling. Woody plants may be wrapped in plastic to retain moisture.

## **Herbicide Resistance**

Weed seed is required to conduct a whole plant bioassay in the greenhouse to screen for herbicide resistance. Mature, high quality seed or seedheads should be collected from suspicious plants in the late summer or fall; ideally pooled samples with seed/seedheads from 5 or more plants will ensure adequate seed quantity. For species specific information on correctly identifying mature seed and collection tips please review the herbicide resistance information on pestid.msu.edu. Place samples in sealed a paper bag. Do not submit samples in a plastic bag as mold and decay will compromise the sample. Screens will be designed by herbicide site of action (e.g. EPSP synthase inhibitor, ALS inhibitors, Photosynthesis inhibitors, etc.). Screening results are generally available 2-3 months after submission to allow for seed cleaning, dormancy breaking measures, greenhouse growth, herbicide application, and evaluation.

## **Nematode Samples**

Always store nematode samples in plastic bags or other containers that retain moisture. Submit a pint to a quart of soil per sample. If nematode samples need to be stored prior to submission try to keep them cool.

**Problem Diagnosis:** Collect soil and roots (or foliage) from the margins of diseased areas. Submit samples of diseased and apparently healthy plants for comparison purposes.

# How to submit a sample to MSU Diagnostic Services (continued)

**Problem Avoidance:** Collect soil and roots (if available) by walking a zigzag or w-shaped pattern. Try to collect 10-25 subsamples using a soil probe, trowel or shovel. One sample per field is adequate unless you can identify problem areas such as sandy locations, along ditch or river banks where flooding occurs, etc., then two or more samples are recommended.

## **Insect/Arthropod Samples**

Precise identification of insect or other arthropods requires specimens to be undamaged upon arrival in the lab.

It is very important to kill and ship the specimens in a manner that will not damage the delicate structures that facilitate their identification. It is always best to include multiple specimens whenever possible.

Dried and unprotected insects crumble easily during the mail process. Kill and ship specimens in a small, leak proof container rubbing alcohol or white vinegar.

**Moths/Butterflies:** Place specimens in the freezer for half an hour to kill them and gently pack in a small box or vial with tissue paper.

**Ants/Other Adult Arthropods:** Ant specimens should only include worker ants (i.e. those without wings). Submit ants and all other hard-bodied specimens in vinegar.

Larvae (Caterpillar, grub, maggot, etc.): Whenever possible, soft-bodied larvae should be lightly boiled for a few minutes before placing them in vinegar. This prevents the specimens from shriveling and becoming discolored, however this only works if the larvae are alive when placed in the boiling water.

Images of Insects, Spiders, Ticks and other arthropods:

We can often identify a specimen from an image provided that the image is taken in good light and it is in focus. Images of insects, spiders, ticks and other arthropods can emailed to the lab at <u>pestid@msu.edu</u>. Please remember that if the image looks dark or blurry to you, it's going to look dark and blurry to us when we receive it. We don't have any way to correct or improve the quality of an image. Images submitted to the lab may be used by lab staff, with proper photo credit, for educational purposes.

## **Pesticide Analysis Samples**

MSU Diagnostic services does not test for pesticide residues in-house, however a list of recommended agencies who conduct such tests is available upon request.

## Services and Fees for MSU Diagnostic Services

**Note:** Fees for out-of-state samples are triple. Contact lab for procedures not described below.

## **Plant Health Analysis**

Routine plant analysis	\$20.00
In-House ELISA tests:	\$20.00
Bacterial ID (BIOLOG ®):	\$25.00

## Weeds/Plants

Plant ID					 	 	 	 	\$10.00
Herbicide	resistand	ce in	weed	s .	 	 	 	 	\$90.00

- This test will include multiple sites of action, based on seed quantity and quality
- MI Soybean growers qualify for free testing of the following species courtesy of the Michigan Soybean Promotion Committee:
  - -Palmer amaranth
  - -Waterhemp
  - -Horseweed/marestail
  - -Common lambsquarters
  - -Common ragweed
  - -Giant ragweed

## Nematodes

Basic nematode analysis:
Foliar nematode analysis: \$25.00
Total nematode community analysis: \$50.00
Full-SCN type testing \$75.00
Mini-SCN type testing \$40.00
Verticillium analysis (potato soil or stems only)
Wet sieving:\$25.00
Dilution plating: \$20.00
Both \$40.00

## **Insects/Arthropods**

Common insect ID:	N/C
Keyout insect ID:	\$20.00

### Michigan State University Diagnostic Services

578 Wilson Road East Lansing, MI 48824-6469 Office: 517.355.4536 FAX: 517.432.0899 www.pestid.msu.edu



### Lab Use Only

Grower/MSUE/Other (if different than submitter)

Lab obe only
Case #
Date received
Amount paid
Check/receipt#
MSU account #
Diagnostic fee

### Submitter

Vine

Grass

Name			Name					
Business			Business					
Address			Address					
City/State/Zip			City/State/Zip					
Phone	FAX		PhoneFAX					
Email address			Email address					
Send results to $\square$ S	ubmitter 🗆 Growei	/MSUE/Other	Send invoice to 🗆	Submitter 🗆 Growe	r/MSUE/Other			
Plant or sampl	e type:							
-								
Describe symptom	s or injury							
Plant parts affect <ul> <li>Entire plant</li> <li>Leaves/needles</li> <li>Twigs/limbs</li> <li>Bud</li> </ul> Soil type <ul> <li>Sandy</li> <li>Muck</li> </ul>	<ul> <li>□ Trunk/stem</li> <li>□ Roots</li> <li>□ Fruit</li> <li>□ Flower</li> <li>□ Clay</li> </ul>		d information		affected?			
<ul> <li>Muck</li> <li>Soilless media</li> </ul>	Silt loam	Planting date       How often watered?         Height of plant       Sunny or Shaded?						
Chemical history	– list fertilizer, hert	picide, insecticide, fur			date and rate used			
		Insect/Arthro	• •					
Where was the insect found?       What was the insect doing there?         How many insects are there?       Do you have young children living with you?								
		Plant/Weed	ID Samples					
Plant type Tree Shrub	<ul> <li>Groundcover</li> <li>Herbaceous</li> </ul>	Plant size Height Width	Fruit Color Size	Flowers Color Size	<b>Plant Age</b> □ Annual □ Perennial			

For diagnostic fee details contact the lab or www.pestid.msu.edu
USE REVERSE SIDE TO PROVIDE ADDITIONAL INFORMATION MSU-DS-Form-012-001 version 3.0

Month \_\_\_\_

Michigan State University Diagnostic Services 578 Wilson Road East Lansing, MI 48824-6469 Office: 517.355.4536 FAX: 517.432.0899 www.pestid.msu.edu



Lab Use Only	
PDIS Case #	
ID #	
Date received	
Amount paid	
Check/receipt#	
MSU account #	
Diagnostic fee	

## SCREENING FOR HERBICIDE-RESISTANT WEEDS

- Mature, high quality seed is required. Please refer to "<u>Tips for collecting weed seeds</u>" on our website for collection details. The screening process takes 2-4 months to complete, depending on the species.
- Courtesy of the MI Soybean Promotion Committee, MI soybean growers qualify for free testing of the following species: Palmer amaranth, waterhemp, horseweed/marestail, common lambsquarters, common & giant ragweed.
- Screening of these weeds from rotations not including soybeans is available for \$90/sample. Screening of other species may be possible in consultation with Diagnostic Services.

Submitter			Grower/	/MSUE/Other (if different than submitter)
Name			Name	
Business			Business	
Address			Address _	
City/State/Zip			City/State	e/Zip
Phone	Phone FAX			FAX
Email address			Email add	dress
Send results to $\square$	Submitter 🗆 Grower/MSU	JE/Other	Send invo	oice to 🗆 MSPC 🛛 Submitter 🖓 Grower/Other
SPECIES to be so	creened:			
SAMPLE LOCATI	ON (GPS or nearest cros	ssroads):		
City/town where	sample was collected:			County:
				_ Number of Acres:
FIELD HISTORY				
Year	Сгор	Tillage		Herbicide(s)
				Burndown:
				PRE:
				POST:
				Burndown:
				PRE:
				POST:
				Burndown:
				PRE:
				POST:
				Burndown:
				PRE:
				POST:

For diagnostic fee details contact the lab or www.pestid.msu.edu
USE REVERSE SIDE TO PROVIDE ADDITIONAL INFORMATION MSU-DS-Form-HerbResist-Nov2017