

TABLE 12 – Herbicide Crop Rotation Restrictions

| | (in months) | | | | | | | | | | | | | |
|---|----------------------|----------|------------|-----------|-------|--------|--------|--------|---------|-----------|-------------|----------|-----------|----------|
| | SOIL pH RESTRICTIONS | SOYBEANS | FIELD CORN | SEED CORN | WHEAT | OATS | BARLEY | RYE | ALFALFA | DRY BEANS | SUGAR BEETS | POTATOES | CUCUMBERS | TOMATOES |
| 2,4-D amine, 2,4-D ester | None | * | 0* | 0* | - | FS | FS | - | FS | FS | FS | FS | FS | FS |
| Accent Q | Yes* | 0.5 | 0 | 0 | 4 | 8 | 8 | 4 | 12 | 10 | 10/18* | 10/18* | 10/18* | 10/18* |
| Acuron | None | 10 | 0 | 0 | 4 | 4 | 4 | 4 | 18 | 18 | 18 | 10 | 18 | 18 |
| Acuron Flexi | None | 10 | 0 | 0 | 4 | 4 | 4 | 4 | 10 | 18 | 18 | 10 | 18 | 18 |
| Affinity BroadSpec | None | 7d | 0.5 | 0.5 | 0 | 1.5 | 0 | 1.5 | 1.5 | 1.5 | 2 | 1.5 | 1.5 | 1.5 |
| Afforia (2.5 oz) | >7.9 | 1 d* | 1 | 1 | 1 | 4/8* | 3 | 3 | 4/8* | 3 | 4/8* | 4/8* | 4/8* | 4/8* |
| Afforia (>2.5-3.75 oz) | >7.9 | 7 d* | 1 | 1 | 2 | 5/10* | 4 | 4 | 5/10* | 4 | 5/10* | 6/12* | 6/12* | 6/12* |
| Aim | None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Anthem MAXX | None | 0 | 0 | 0 | 4/6* | 11/18* | 11/18* | 11/18* | 10 | 11 | 15 | 4 | 18 | 18 |
| Anthem ATZ | None | FS | 0 | 0 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| Armezon/Impact | None | 9 | 0 | 0 | 3 | 3 | 3 | 3 | 9 | 9/18* | 18 | 9 | 18 | 18 |
| Armezon PRO | None | 9 | 0 | 0 | 4 | 4 | 4 | 4 | 9 | 9 | 18 | 9 | 18 | 18 |
| Assure II/Targa | None | 0 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 4 | 4 | 4 |
| Atrazine (1 lb a.i./A) | None | 10 | 0 | 0 | 3 | 21 | 21 | 3 | 15 | 21 | 21 | 10 | 21 | 21 |
| Atrazine (2 lb a.i./A) | None | 18 | 0 | 0 | 15 | 21 | 21 | 15 | 21 | 21 | 33 | 18 | 33 | 33 |
| Authority Assist | None | 0 | 10 | 10 | 4 | 18 | 9.5 | 4 | 12 | 12 | 40* | 26 | 40* | 40* |
| Authority Elite/BroadAxeXC | >7.2 | 0 | 10 | 10 | 4.5 | 12 | 4.5 | 4.5 | 12* | 12* | 36 | 4 | 12* | 4 |
| Authority First/Sonic | None | 0 | 10 | 10 | 4 | 12 | 12 | 12 | 12 | 12 | 30* | 18 | 30* | 30* |
| Authority MAXX* | >6.8 | 0 | 10/18 | 10/18 | 4 | 12/18 | 4 | 4 | 12/18 | 12/18 | 36 | 36 | 18 | 15/18 |
| Authority MTZ* | >7.0 | 0 | 10/4* | 10/4* | 4 | 18 | 18 | 18 | 12 | 12 | 24* | 12 | 18 | 0* |
| Authority Supreme | None | 0 | 4 | 4 | 4/6* | 12 | 11/18* | 11/18* | 12 | 9 | 24 | 4 | 18 | 18 |
| Authority XL | ≤6.8 | 0 | 10 | 10 | 4 | 12 | 4 | 4 | 12 | 12 | 36 | 36 | 18 | 12** |
| Authority XL* | >6.8 | 0 | 10/18* | 10/18* | 4 | 18 | 4 | 4 | 18 | 18 | 36 | 36 | 18 | 18* |
| Autumn Super | >7.5 | 2 | 1 | 9 | 3 | 18 | 9 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| Axial XL | None | 4 | 4 | 4 | 0 | 4 | 0 | 4 | 4 | 4 | 1 | 4 | 4 | 4 |
| Balance Flexx* | None | 6 | 0 | 0 | 4 | 18 | 6 | 18 | 10/18* | 18 | 10/18* | 6 | 18 | 18 |
| Basagran/Broadloom | None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Basis Blend | None | 10 | 0 | 10 | 3 | 9 | 3 | 3 | 10 | 10 | 10 | 1 | 10 | 1 |
| Beacon | None | 8 | 0.5 | 0.5 | 3 | 8 | 3 | 3 | 8 | 8 | 18 | 8 | 18 | 18 |
| Betamix | None | 0 | 4 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Betanex | None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bicep II Magnum/ Cinch ATZ/Parallel Plus | > 8.0 | 10 | 0 | 0 | 15 | 21 | 21 | 15 | 21 | 21 | 21 | 10 | 21 | 21 |
| Bicep Lite II Magnum/ Cinch ATZ Lite | > 8.0 | 10 | 0 | 0 | 4.5 | 21 | 21 | 3 | 15 | 21 | 21 | 10 | 21 | 21 |
| Boundary | None | 0 | 4 | 4 | 4.5 | 12 | 4.5 | 12 | 4.5 | 12 | 18 | 8 | 12 | 12 |
| Buctril/Moxy | None | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Butyrac 200 | None | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cadet | None | 0 | 0 | 0 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Callisto | None | 10 | 0 | 0 | 4 | 0 | 4 | 4 | 10 | 18 | 18 | 10 | 18 | 18 |
| Callisto GT | None | 10 | 0 | 0 | 4 | 4 | 4 | 4 | 10 | 18 | 18 | 10 | 18 | 18 |
| Callisto Xtra | None | FS | 0 | 0 | FS | 18 | FS | 18 | FS | 18 | 18 | FS | 18 | 18 |

See legend on page 186.

(Continued on next page)

**TABLE 12 – Herbicide Crop Rotation Restrictions
(continued)**

| | (in months) | | | | | | | | | | | | | |
|--|----------------------|----------|------------|-----------|-------|-------|--------|-------|---------|-----------|-------------|----------|-----------|----------|
| | SOIL pH RESTRICTIONS | SOYBEANS | FIELD CORN | SEED CORN | WHEAT | OATS | BARLEY | RYE | ALFALFA | DRY BEANS | SUGAR BEETS | POTATOES | CUCUMBERS | TOMATOES |
| Canopy* | >7 | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 10 | 12 | 30 | 30 | 18 | 10* |
| Canopy Blend* | >7.0 | 0/4* | 10 | 10 | 4 | 4 | 4 | 4 | 10 | 18 | 30 | 30 | 18 | 10* |
| Canopy EX* | >7.0 | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 10 | 12 | 30 | 30 | 18 | 10* |
| Capreno* | >7.5 | 10 | 0 | 0 | 4 | 18 | 10 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| Chateau | None | 4 | 4 | 6/12* | 4 | 6/12* | 6/12* | 6/12* | 6/12* | 6/12* | 6/12* | 6/12* | 6/12* | 6/12* |
| Cheetah Max | None | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 18 | 6 | 18 | 2.5 | 18 | 6 |
| Clarity/Banvel ^a | None | 4 | 0 | 0 | 1 | 1 | 1 | 1 | 4 | 4 | 4 | 4 | 4 | 4 |
| Classic* | >7 | 0 | 9 | 9 | 3 | 3 | 3 | 3 | 12 | 9 | 30 | 30 | 18 | 9/15* |
| Cobra/Phoenix | None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Command* | <5.9 | 0 | 9 | 9 | 12 | 16 | 16 | 16 | 16 | 9 | 9 | 9 | 9 | 9/12* |
| Corvus* | ≥7.5 | 9 | 0 | 0 | 4 | 17* | 9 | 17* | 17* | 17* | 17* | 17* | 17* | 17* |
| Coyote | None | FS | 0 | 0 | 4.5 | 4.5 | 4.5 | 4.5 | 18 | 18 | 18 | FS | 18 | 18 |
| Curtail* | None | 10.5/18* | 1 | 1 | 1 | 1 | 1 | 1 | 10.5 | 10.5/18* | 12 | 18 | 18 | 18 |
| Degree Xtra/FulTime NXT | None | FS | 0 | 0 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 21 | 21 |
| DiFlexx | None | 2 | 0 | 0 | 2 | 2 | 2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| DiFlexx DUO | None | 8 | 0 | 0 | 4 | 4 | 4 | 4 | 10 | 10/18* | 10* | 10 | 18 | 10 |
| Dual Magnum/Dual II Magnum/Cinch/ EverpreX | None | 0 | 0 | 0 | 4.5 | 4.5 | 4.5 | 4.5 | 4 | 0 | 0 | 0 | FS | 0* |
| Elevore | None | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 9 | 9 | 15 | 15 | 15 | 15 |
| Engenia ^a | None | 1* | 0* | 0* | 1 | 1 | 1 | 1 | 4 | 4 | 4 | 4 | 4 | 4 |
| Enlist Duo | None | * | 0* | 0* | - | FS | FS | - | FS | FS | FS | FS | FS | FS |
| Enlist One | None | * | 0* | 0* | - | FS | FS | - | FS | FS | FS | FS | FS | FS |
| Envive* | >7.0 | 0 | 10 | 10 | 4 | 10 | 4 | 4 | 10 | 12 | 30 | 30 | 18 | 12* |
| Eptam | None | 10 | 1 | 10 | 3 | 10 | 10 | 3 | 0 | 0 | 10 | 10 | 10 | 10 |
| Expert | None | 10 | 0 | 0 | 10 | 18 | 18 | 10 | 18 | 18 | 18 | 18 | 18 | 18 |
| Express | None | 7d | 0.5 | 1.5 | 0 | 1.5 | 0 | 1.5 | 1.5 | 1.5 | 2 | 1.5 | 1.5 | 1.5 |
| Extreme | None | 0 | 8.5 | 8.5 | 3 | 18 | 9.5 | 4 | 4 | 4 | 40* | 26 | 40* | 40* |
| FeXapan ^a | None | 1* | 0* | 0* | 1/2* | 1/2* | 1/2* | 1/2* | 4 | 4 | 4 | 4 | 4 | 4 |
| Fierce | None | 0 | 7/30 d* | 7/30 d* | 1/2 | 11/12 | 11/12 | 11/12 | 10 | 11 | 15 | 4 | 18 | 18 |
| Fierce XLT | None | 0 | 10 | 10 | 4 | 18 | 18 | 18 | 18 | 18 | 30 | 30 | 18 | 18* |
| FirstRate | None | 0 | 9 | 9 | 4 | 9 | 12 | 12 | 9 | 9 | 30* | 18 | 18 | 18 |
| Flexstar | None | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 18 | 0 | 18 | 0 | 12 | 10/12* |
| Flexstar GT 3.5 | None | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 18 | 0 | 18 | 0 | 12 | 10/12* |
| FulTime | None | FS | 0 | 0 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 21 | 21 |
| Fusilade DX | None | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fusion | None | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Glyphosate | None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Gramoxone SL 2.0/ Parazone | None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GrazonNext HL | None | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 24 | 24 | 24 | 24 | 24 | 24 |

See legend on page 186.

(Continued on next page)

**TABLE 12 – Herbicide Crop Rotation Restrictions
(continued)**

| | (in months) | | | | | | | | | | | | | |
|--|----------------------|----------|------------|-----------|-------|------|--------|-----|---------|-----------|-------------|----------|-----------|----------|
| | SOIL pH RESTRICTIONS | SOYBEANS | FIELD CORN | SEED CORN | WHEAT | OATS | BARLEY | RYE | ALFALFA | DRY BEANS | SUGAR BEETS | POTATOES | CUCUMBERS | TOMATOES |
| Halex GT | None | 10 | 0 | 0 | 4 | 4 | 4 | 4 | 10 | 18 | 18 | 10 | 18 | 18 |
| Harmony Extra | None | 0.5 | 0.5 | 0.5 | 0 | 0 | 0 | 1.5 | 1.5 | 1.5 | 2 | 1.5 | 1.5 | 1.5 |
| Harmony | None | 0 | 0 | 1.5 | 0 | 0 | 0 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |
| Harness/Surpass NXT/ Breakfree NXT | None | FS | 0 | 0 | 4 | FS | FS | FS | 9 | FS | FS | FS | 18 | 18 |
| Harness MAX | None | 10 | 0 | 0 | 4 | FS | FS | FS | 10 | 18 | 18 | 18 | 18 | 18 |
| Harness Xtra/ Keystone NXT/ Keystone LA NXT/ Breakfree NXT ATZ/ Breakfree NXT Lite | None | FS | 0 | 0 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 21 | 21 |
| Hornet WDG/Stanza | >7.8 | 10.5 | 0 | 0 | 4 | 4 | 4 | 4 | 10.5 | 10.5 | 26* | 18 | 26* | 26* |
| Huskie | None | 4 | 9 | 9 | 1 | 1 | 1 | 1 | 4* | 9 | 9 | 9 | 12* | 12* |
| ImpactZ | None | 9 | 0 | 0 | 9 | 18 | 9 | 9 | 9 | 18 | 18 | 9 | 18 | 18 |
| Instigate | None | 10 | 0 | 10 | 4 | 9 | 9 | 4 | 10 | 18 | 18 | 10 | 18 | 18 |
| Kerb | None | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| Laudis* | None | 8 | 0 | 0 | 4 | 4 | 4 | 4 | 10 | 10/18* | 10/18* | 10 | 18 | 10 |
| Lexar EZ | None | 10 | 0 | 0 | 15 | 10 | 10 | 10 | 18 | 18 | 18 | 18 | 18 | 18 |
| Liberty/Rely | None | 0 | 0 | 0 | 2.5 | 2.5 | 2.5 | 2.5 | 6 | 6 | 0 | 2.5 | 6 | 6 |
| Lorox/Linex | None | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Lumax EZ | None | 10 | 0 | 0 | 4.5 | 10 | 4.5 | 4.5 | 18 | 18 | 18 | 18 | 18 | 18 |
| Marvel | None | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 18 | 0 | 18 | 0 | 18 | 4 |
| Matrix | None | 4 | 0 | 0 | 4 | 9 | 9 | 4 | 4* | 10 | 18* | 0 | 10 | 0 |
| MCPA | None | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Metribuzin | ≥ 7.0 | 4 | 4 | 4 | 4 | 4 | 4 | 12 | 4 | 12 | 18 | 4 | 12 | 12 |
| Milestone | None | 12* | 12* | 12* | 12* | 12* | 12* | 12* | 12* | 12* | 12* | 12* | 12* | 12* |
| Moccasin MTZ+ Nortron* | None | 0 | 4 | 4 | 4.5 | 12 | 4.5 | 12 | 4.5 | 18 | 18 | 0 | 18 | 12 |
| OpTill | None | 0/1* | 8.5 | 8.5 | 4 | 18 | 9.5 | 4 | 4 | 4 | 40* | 26 | 40* | 40* |
| OpTill PRO | None | 0/1* | 8.5 | 8.5 | 4 | 18 | 9.5 | 4 | 9 | 4 | 40* | 26 | 40* | 40* |
| Osprey | None | 1 | 12 | 12 | 7d | 10 | 1 | 10 | 10 | 3 | 10 | 10 | 10 | 10 |
| Outlook | None | 0 | 0 | 0 | 4 | 4 | 4 | 4 | 10 | 0 | 10 | 10 | 10 | 10 |
| Panoflex | >7.9 | 1/7 d* | 14 d | 1.5 | 0 | 1 d | 0 | 0 | 1.5 | 1.5 | 2 | 1.5 | 1.5 | 1.5 |
| Parallel/Parallel PCS | None | 10 | 0 | 0 | 4.5 | 4.5 | 4.5 | 4.5 | 4 | 10 | 10 | 10 | 10 | 6 |
| Peak | >7.8 | 22* | 1 | 1 | 0 | 0 | 0 | 0 | 22* | 22* | 22* | 22* | 22* | 22* |
| Permit/Sandea | None | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 9 | 0 | 21 | 9 | 9 | 8 |
| Poast/Poast Plus* | None | 0 | 1* | 1* | 1* | 1* | 1* | 1* | 0 | 0 | 0 | 0 | 0 | 0 |
| PowerFlex HL | None | 5 | 9 | 9 | 1 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 12 | 12 |
| Prefix | None | 0 | 10 | 10 | 4.5 | 4.5 | 4.5 | 4.5 | 18 | 0 | 18 | 18 | 12 | 10/12* |
| Prequel* | None | 10 | 0 | 10 | 4 | 9 | 4 | 4 | 10 | 18* | 10 | 6 | 18 | 18 |
| Princep | None | FS* | 0 | 0 | 15 | 21 | 21 | 15 | 21 | 21 | 21 | 21 | 21 | 21 |
| Progress | None | 0 | 4 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |

See legend on page 186.

(Continued on next page)

**TABLE 12 – Herbicide Crop Rotation Restrictions
(continued)**

| | (in months) | | | | | | | | | | | | | |
|-------------------------------|----------------------|----------|------------|-----------|-------|-------|--------|------|---------|-----------|-------------|----------|-----------|----------|
| | SOIL pH RESTRICTIONS | SOYBEANS | FIELD CORN | SEED CORN | WHEAT | OATS | BARLEY | RYE | ALFALFA | DRY BEANS | SUGAR BEETS | POTATOES | CUCUMBERS | TOMATOES |
| Prowl, Prowl H ₂ O | None | 0 | 10 | 10 | 4 | 10 | 4 | 10 | 10 | 0 | 12 | 10 | 10 | 10 |
| Pursuit | None | 0 | 8.5 | 8.5 | 4 | 18 | 9.5 | 4 | 4 | 4 | 40* | 26 | 40* | 40* |
| Python/Accolade | > 7.8 | 0 | 0 | 0 | 4 | 4 | 4 | 4 | 4 | 4 | 26* | 12 | 26* | 26* |
| Quelex | None | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 9 | 9 | 15* | 15* | 15* | 15* |
| Raptor | > 6.2 | 0 | 8.5 | 8.5 | 3 | 9 | 9 | 4 | 3 | 0 | 18* | 9* | 9 | 9 |
| Reflex | None | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 18 | 0 | 18 | 0 | 12 | 10/12* |
| Realm Q | None | 10 | 0 | 0 | 4 | 9 | 9 | 4 | 10 | 18 | 18 | 10 | 18 | 18 |
| Resicore | None | 10.5 | 0 | 0 | 4 | 10.5 | 10.5 | 10.5 | 10.5 | 18 | 18 | 18 | 18 | 18 |
| Resolve | None | 10 | 0 | 0 | 4 | 9 | 9 | 4 | 10/18* | 10 | 10/18* | 0 | 10 | 1 |
| Resolve Q | None | 10 | 0 | – | 3 | 9 | 9 | 9 | 10/18* | 10 | 10/18* | 0 | 10 | 1 |
| Resource | None | 0 | 0 | 0 | 4 | 4 | 4 | 4 | 1 | 1 | 1 | 1 | 1 | 1 |
| Revulin Q | None | 10 | 0 | 0 | 4 | 8 | 4 | 4 | 10* | 18 | 18 | 10* | 18 | 18 |
| Ro-Neet | None | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Select/Arrow/Select Max | None | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| SelectMax (≤6 oz) | None | 0 | 6 d | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sequence | None | 0 | 0 | 0 | 4.5 | 4.5 | 4.5 | 4.5 | 4 | 0 | FS | 0 | FS | 6 |
| Sharpen (1 oz) ^a | None | 0/1* | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 4 | 4 | 4 | 4 |
| Sharpen (2.5 oz) ^a | None | 2/3* | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | 6 | 6 | 6 |
| Sinbar | None | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| Sonalan | None | 0 | FS | FS | 10 | 10 | 10 | 10 | 10 | 0 | 8/13* | FS | FS | FS |
| Spartan | None | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 12 | 12 | 30 | 30 | 18 | 30 |
| Spartan Charge | None | 0 | 4 | 12 | 4 | 12 | 4 | 4 | 12 | 4 | 24* | 4 | 12* | 12* |
| Starane Ultra | None | 10 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 10 | 4 | 10 | 10 | 10 |
| Status* | None | 1/4 | 0.25 | 0.25 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 4 | 4 | 4 | 4 | 4 |
| Steadfast Q | Yes* | 0.5 | 0 | 10 | 4 | 8 | 8 | 4 | 10 | 10 | 10/18* | 10/18* | 10/18* | 10/18* |
| Stinger* | None | 10.5/18 | 0 | 0 | 0 | 0 | 0 | 0 | 10.5 | 10.5/18 | 0 | 18 | 18 | 18 |
| SureStart II/TripleFlex II | >7.8 | FS | 0 | 0 | 4 | FS | FS | FS | FS | FS | 26* | 18 | 26* | 26* |
| Surveil | None | 0 | 9 | 9 | 3 | 9 | 30* | 30* | 10 | 9 | 30* | 18 | 30* | 30* |
| Synchrony XP* | >7 | 0 | 9 | 9 | 3/4 | 3/4 | 3/4 | 3/4 | 12 | 9/12 | 30 | 30 | 18 | 9/15 |
| Talinor | None | 10 | 0 | 0 | 1 | 3 | 1 | 9 | 9 | 12 | 15 | 9 | 18 | 18 |
| Trifluralin | None | 0 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 0 | 12* | 5 | 5 | 5 |
| Tripzin ZC | 7.0 | 4 | 4 | 4 | 4 | 18 | 4 | 18 | 4 | 18 | 18 | 4 | 18 | 4 |
| Trivence | >7 | 0/4* | 10 | 10* | 4 | 18 | 4 | 12 | 10 | 18 | 30 | 30 | 18 | 12* |
| Ultra Blazer | None | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 0 |
| Upbeet | None | 0.5 | 0.75 | 0.75 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0 | 0.5 | 0.5 | 0.5 |
| Valor/Valor EZ (2 oz) | None | 0 | 1* | 1* | 1* | 4/8* | 3 | 3 | 4/8* | 3 | 4/8* | 4/8* | 4/8* | 4/8* |
| Valor/Valor (>2-3 oz) | None | 0 | 1* | 1* | 2* | 5/10* | 4 | 4 | 5/10* | 4 | 5/10* | 12 | 12 | 12 |
| Valor XLT* | >6.8 | 0 | 10 | 10 | 4 | 12 | 4 | 4 | 12 | 12 | 30 | 30 | 18 | 12* |
| Varisto | ≥6.2 | 0 | 8.5 | 8.5 | 3 | 9 | 9 | 4 | 3 | 0 | 18* | 9 | 9 | 9 |
| Velpar | None | 24 | 12 | 12 | 24 | 24 | 24 | 24 | 24 | 24 | 12 | 12 | 24 | 24 |

See legend on page 186.

(Continued on next page)

**TABLE 12 – Herbicide Crop Rotation Restrictions
(continued)**

(in months)

| | SOIL pH RESTRICTIONS | SOYBEANS | FIELD CORN | SEED CORN | WHEAT | OATS | BARLEY | RYE | ALFALFA | DRY BEANS | SUGAR BEETS | POTATOES | CUCUMBERS | TOMATOES |
|------------------------|----------------------|----------|------------|-----------|-------|--------|--------|--------|---------|-----------|-------------|----------|-----------|----------|
| Verdict (5 oz) | None | 0/1* | 0 | 0 | 4 | FS | 4 | 4 | FS | FS | 9 | FS | FS | FS |
| Verdict (>10 oz) | None | 1-4* | 0 | 0 | 4 | FS | 4 | 4 | FS | FS | 9 | FS | FS | FS |
| Vida | None | 0 | 0 | 0 | 0 | 1d | 1d | 1d | 1d | 1d | 1d | 0 | 1d | 1d |
| Warrant | None | 0* | FS | FS | 4 | FS | FS | FS | 9 | FS | FS | FS | - | - |
| Warrant Ultra | None | 0 | 10 | 10 | 4 | 4 | 4 | 4 | 18 | FS | 18 | FS | 18 | 18 |
| WideMatch | None | 10.5 | 0 | 0 | 0 | 0 | 0 | 0 | 10.5 | 10.5 | 4 | 18 | 18 | 18 |
| XtendiMax ^a | None | 1* | 0* | 0* | 1/2* | 1/2* | 1/2* | 1/2* | 4 | 4 | 4 | 4 | 4 | 4 |
| Yukon | None | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 9 | 9 | 21 | 9 | 9 | 8 |
| Zemax | None | 10 | 0 | 0 | 4.5 | 10 | 4.5 | 4.5 | 18 | 18 | 18 | 10 | 18 | 18 |
| Zidua/Zidua SC | None | 0/4* | 0 | 0 | 4/6* | 11/18* | 11/18* | 11/18* | 10 | 11 | 15 | 4 | 18 | 18 |
| Zidua PRO | None | 0/1* | 8.5 | 8.5 | 4 | 18 | 11 | 11 | 10 | 11 | 40* | 26 | 40* | 40* |

This table contains general guidelines for crop rotation restrictions following herbicide application. Herbicide persistence and carryover potential are variable and dependent upon soil and environmental characteristics.

^a DO NOT include time in the rotation interval when the soil is frozen.

- No information was given on the label.

* Consult the Remarks and Limitations sections in this guide and the herbicide label for further information.

FS = rotational crops may be planted the following spring (FS).