

Perpetuo and Fierce product use in Enlist E3 soybean

Trial ID: SOY05-20 Study Dir.: Sprague, Powell, Stiles
 Conducted: Campus, T-10 Investigator: Christy Sprague

Planting Date: May-24-2020 **Row Spacing:** 30 IN
Variety: P25T09E **No. of Reps:** 4
Population: 156000 seeds/A **% OM:** 3.1
Soil Type: L loam **pH:** 7
Plot Size: 10 X 35 FT **Study Design:** Randomized Complete Block (RCB)

Tillage/Previous Crops: Fall chisel plow, fall soil finish; Spring soil finish (2X)

Fertilizer:

Crop and Weed Description

Weed	Code	Common Name	Scientific Name
1	ANGR	mainly foxtail species	Annual grass
2	CHEAL	common lambsquarters	Chenopodium album
3	AMAPO	Powell amaranth	Amaranthus powellii
4	AMBEL	common ragweed	Ambrosia artemisiifolia
5	ABUTH	velvetleaf	Abutilon theophrasti
Crop	Code	Common Name	
1	GLXMA	Soybean	

Application Description

	A	B
Application Timing:	PRE	POST
Date Treated:	May-25-2020	Jun-25-2020
Time Treated:	7:49 AM	1:28 PM
% Cloud Cover:	3	60
Air Temp., Unit:	71 F	75 F
% Relative Humidity:	98	46
Wind Speed/Unit/Dir:	4 mph E	6 mph W
Soil Temp, Unit:	66 F	88 F
Leaf Moist/Dew Presence (Y/N):		5
Soil Moist:	5	5

Crop Stage at Each Application

	A	B
Crop 1 Name:	GLXMA	GLXMA
Height:		8 "
Stage:		V3

Weed Stage at Each Application

	A	B
Weed 1 Name:	ANGR	ANGR
Height:		8-12 " (10)
Stage:		4L
Weed 2 Name:	CHEAL	CHEAL
Height:		3-7 " (5)
Stage:		6-10L
Weed 3 Name:	AMAPO	AMAPO
Height:		4-6 " (5)
Stage:		6-8L
Weed 4 Name:	AMBEL	AMBEL
Height:		4-10 " (7)
Stage:		6-12L
Weed 5 Name:	ABUTH	ABUTH
Height:		3 "
Stage:		3L

Weed Density

	1	2	3	4	5
Date:	Jun-25-2020	Jun-25-2020	Jun-25-2020	Jun-25-2020	Jun-25-2020
Weed Name:	ANGR	CHEAL	AMAPO	AMBEL	ABUTH
Density:	12 FT2	3 FT2	1 FT2	4 FT2	1 FT2

Application Equipment

Appl	Sprayer Type	Ground Speed	Nozzle Type	Nozzle Size	Nozzle Height	Nozzle Spacing	Boom Width	Spray Volume	Carrier	Operation Pressure
A	CUB	3.8 mph	AIXR	11003	20 "	20 "	100 "	19 GPA	WATER	30 psi
B	CUB	3.8 mph	AIXR	11003	26 "	20 "	100 "	19 GPA	WATER	30 psi

Comments: Herbicide injury was exacerbated by early-season seedling disease, that was prevalent throughout the trial. The common ragweed (AMBEL) population in this trial is resistant to the Group 2 (ALS-inhibiting) herbicides.

Perpetuo and Fierce product use in Enlist E3 soybean

Trial ID: SOY05-20

Location: Campus, T-10

Trial Year: 2020

Protocol ID: SOY05-20

Investigator (Creator): Christy Sprague

Project ID:

Study Director: Sprague, Powell, Stiles

Sponsor Contact:

Pest Code		ANGR	CHEAL	AMAPO	AMBEL	
Crop Type, Code	C GLXMA					C GLXMA
Rating Date	Jun-15-2020	Jun-15-2020	Jun-15-2020	Jun-15-2020	Jun-15-2020	Jun-24-2020
Rating Type	injury	control	control	control	control	injury
Rating Unit	percent	percent	percent	percent	percent	percent
Trt-Eval Interval	21 DA-A	21 DA-A	21 DA-A	21 DA-A	21 DA-A	30 DA-A
Number of Decimals	0	0	0	0	0	0

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Appl Timing	Appl Code						
1	Enlist One	3.8	L	32 fl oz/a		POST	B	0	0	0	0	0	0
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
2	Perpetuo	2.3	L	6 fl oz/a		POST	B	0	0	0	0	0	0
	Enlist One	3.8	L	32 fl oz/a		POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
3	Untreated							0	0	0	0	0	0
4	Fierce EZ	3.04	L	6 fl oz/a		PRE	A	31	87	100	100	99	13
	Enlist One	3.8	L	32 fl oz/a		POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
5	Fierce MTZ	2.64	L	1 pt/a		PRE	A	30	88	100	100	100	9
	Enlist One	3.8	L	32 fl oz/a		POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
6	Fierce EZ	3.04	L	6 fl oz/a		PRE	A	34	88	100	100	95	13
	Perpetuo	2.3	L	6 fl oz/a		POST	B						
	Enlist One	3.8	L	32 fl oz/a		POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
7	Fierce MTZ	2.64	L	1 pt/a		PRE	A	31	92	100	100	100	11
	Perpetuo	2.3	L	6 fl oz/a		POST	B						
	Enlist One	3.8	L	32 fl oz/a		POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
8	Zidua PRO	4.09	L	6 fl oz/a		PRE	A	8	90	100	100	91	1
	Perpetuo	2.3	L	6 fl oz/a		POST	B						
	Enlist One	3.8	L	32 fl oz/a		POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
9	Authority MTZ	45	WG	14 oz/a		PRE	A	1	80	100	100	73	0
	Anthem Maxx	4.3	L	2.5 fl oz/a		POST	B						
	Enlist One	3.8	L	32 fl oz/a		POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a		POST	B						
	Induce		L	0.25 % v/v		POST	B						
	AMS		WG	17 lb/100 gal		POST	B						
	LSD P=.05							6.0	5.5	.	.	7.1	4.8
	Standard Deviation							4.1	3.7	0.0	0.0	4.8	3.3
	CV							27.4	6.44	0.0	0.0	7.8	64.57

Could not calculate LSD (% mean diff) for columns 3,4,9,12,13,14,15,19,21,24,26 because error mean square = 0.

Perpetuo and Fierce product use in Enlist E3 soybean

Trial ID: SOY05-20 Location: Campus, T-10 Trial Year: 2020
 Protocol ID: SOY05-20 Investigator (Creator): Christy Sprague
 Project ID: Study Director: Sprague, Powell, Stiles
 Sponsor Contact:

Pest Code	ANGR	CHEAL	AMAPO	AMBEL	C GLXMA	ANGR
Crop Type, Code						
Rating Date	Jun-24-2020	Jun-24-2020	Jun-24-2020	Jun-24-2020	Jul-9-2020	Jul-9-2020
Rating Type	control	control	control	control	injury	control
Rating Unit	percent	percent	percent	percent	percent	percent
Trt-Eval Interval	30 DA-A	30 DA-A	30 DA-A	30 DA-A	14 DA-B	14 DA-B
Number of Decimals	0	0	0	0	0	0

Trt No.	Treatment Name	Form Conc	Form Type	Rate Rate Unit	Appl Timing	Appl Code					
1	Enlist One	3.8	L	32 fl oz/a	POST	B	0	0	0	0	100
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
2	Perpetuo	2.3	L	6 fl oz/a	POST	B	0	0	0	4	100
	Enlist One	3.8	L	32 fl oz/a	POST	B					
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
3	Untreated						0	0	0	0	0
4	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	82	100	100	86	2
	Enlist One	3.8	L	32 fl oz/a	POST	B					
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
5	Fierce MTZ	2.64	L	1 pt/a	PRE	A	87	100	100	92	0
	Enlist One	3.8	L	32 fl oz/a	POST	B					
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
6	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	83	95	100	88	11
	Perpetuo	2.3	L	6 fl oz/a	POST	B					
	Enlist One	3.8	L	32 fl oz/a	POST	B					
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
7	Fierce MTZ	2.64	L	1 pt/a	PRE	A	87	100	100	93	8
	Perpetuo	2.3	L	6 fl oz/a	POST	B					
	Enlist One	3.8	L	32 fl oz/a	POST	B					
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
8	Zidua PRO	4.09	L	6 fl oz/a	PRE	A	86	100	100	90	4
	Perpetuo	2.3	L	6 fl oz/a	POST	B					
	Enlist One	3.8	L	32 fl oz/a	POST	B					
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
9	Authority MTZ	45	WG	14 oz/a	PRE	A	73	100	100	67	5
	Anthem Maxx	4.3	L	2.5 fl oz/a	POST	B					
	Enlist One	3.8	L	32 fl oz/a	POST	B					
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B					
	Induce		L	0.25 % v/v	POST	B					
	AMS		WG	17 lb/100 gal	POST	B					
	LSD P=.05						7.2	2.8	.	7.5	3.6
	Standard Deviation						5.0	1.9	0.0	5.1	2.5
	CV						8.98	2.91	0.0	8.92	65.06

Could not calculate LSD (% mean diff) for columns 3,4,9,12,13,14,15,19,21,24,26 because error mean square = 0.

Perpetuo and Fierce product use in Enlist E3 soybean

Trial ID: SOY05-20 Location: Campus, T-10 Trial Year: 2020
 Protocol ID: SOY05-20 Investigator (Creator): Christy Sprague
 Project ID: Study Director: Sprague, Powell, Stiles
 Sponsor Contact:

Pest Code	CHEAL	AMAPO	AMBEL	C GLXMA	ANGR	CHEAL
Crop Type, Code	Jul-9-2020	Jul-9-2020	Jul-9-2020	Jul-23-2020	Jul-23-2020	Jul-23-2020
Rating Date	control	control	control	injury	control	control
Rating Type	percent	percent	percent	percent	percent	percent
Rating Unit	14 DA-B	14 DA-B	14 DA-B	28 DA-B	28 DA-B	28 DA-B
Trt-Eval Interval	0	0	0	0	0	0
Number of Decimals						

Trt No.	Treatment Name	Form Conc	Form Type	Rate Rate Unit	Appl Timing	Appl Code						
1	Enlist One	3.8	L	32 fl oz/a	POST	B	100	100	100	4	89	86
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
2	Perpetuo	2.3	L	6 fl oz/a	POST	B	100	100	100	3	100	100
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
3	Untreated						0	0	0	0	0	0
4	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	100	100	100	0	99	100
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
5	Fierce MTZ	2.64	L	1 pt/a	PRE	A	100	100	100	0	100	100
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
6	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	100	100	100	0	99	100
	Perpetuo	2.3	L	6 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
7	Fierce MTZ	2.64	L	1 pt/a	PRE	A	100	100	100	1	99	100
	Perpetuo	2.3	L	6 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
8	Zidua PRO	4.09	L	6 fl oz/a	PRE	A	100	100	100	0	100	100
	Perpetuo	2.3	L	6 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
9	Authority MTZ	45	WG	14 oz/a	PRE	A	100	100	100	0	100	100
	Anthem Maxx	4.3	L	2.5 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
	LSD P=.05						.	.	.	1.8	1.9	1.9
	Standard Deviation						0.0	0.0	0.0	1.2	1.3	1.3
	CV						0.0	0.0	0.0	135.96	1.46	1.53

Could not calculate LSD (% mean diff) for columns 3,4,9,12,13,14,15,19,21,24,26 because error mean square = 0.

Perpetuo and Fierce product use in Enlist E3 soybean

Trial ID: SOY05-20 Location: Campus, T-10 Trial Year: 2020
 Protocol ID: SOY05-20 Investigator (Creator): Christy Sprague
 Project ID: Study Director: Sprague, Powell, Stiles
 Sponsor Contact:

Pest Code	AMAPO	AMBEL	ABUTH	ANGR	CHEAL	AMAPO
Crop Type, Code						
Rating Date	Jul-23-2020	Jul-23-2020	Jul-23-2020	Oct-14-2020	Oct-14-2020	Oct-14-2020
Rating Type	control	control	control	control	control	control
Rating Unit	percent	percent	percent	percent	percent	percent
Trt-Eval Interval	28 DA-B	28 DA-B	28 DA-B	111 DA-B	111 DA-B	111 DA-B
Number of Decimals	0	0	0	0	0	0

Trt No.	Treatment Name	Form Conc	Form Type	Rate Rate Unit	Appl Timing	Appl Code	AMAPO	AMBEL	ABUTH	ANGR	CHEAL	AMAPO
1	Enlist One	3.8	L	32 fl oz/a	POST	B	100	90	100	80	81	100
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
2	Perpetuo	2.3	L	6 fl oz/a	POST	B	100	98	100	100	100	100
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
3	Untreated						0	0	0	0	0	0
4	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	100	98	100	100	100	100
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
5	Fierce MTZ	2.64	L	1 pt/a	PRE	A	100	100	100	96	100	100
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
6	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	100	100	100	100	100	100
	Perpetuo	2.3	L	6 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
7	Fierce MTZ	2.64	L	1 pt/a	PRE	A	100	100	100	98	100	100
	Perpetuo	2.3	L	6 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
8	Zidua PRO	4.09	L	6 fl oz/a	PRE	A	100	100	100	100	100	100
	Perpetuo	2.3	L	6 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
9	Authority MTZ	45	WG	14 oz/a	PRE	A	100	100	100	100	100	100
	Anthem Maxx	4.3	L	2.5 fl oz/a	POST	B						
	Enlist One	3.8	L	32 fl oz/a	POST	B						
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B						
	Induce		L	0.25 % v/v	POST	B						
	AMS		WG	17 lb/100 gal	POST	B						
	LSD P=.05						.	2.9	.	4.1	1.5	.
	Standard Deviation						0.0	2.0	0.0	2.8	1.0	0.0
	CV						0.0	2.25	0.0	3.25	1.15	0.0

Could not calculate LSD (% mean diff) for columns 3,4,9,12,13,14,15,19,21,24,26 because error mean square = 0.

Perpetuo and Fierce product use in Enlist E3 soybean

Trial ID: SOY05-20 Location: Campus, T-10 Trial Year: 2020
 Protocol ID: SOY05-20 Investigator (Creator): Christy Sprague
 Project ID: Study Director: Sprague, Powell, Stiles
 Sponsor Contact:

Pest Code	AMBEL	ABUTH	C GLXMA	C GLXMA
Crop Type, Code			Oct-14-2020	Oct-14-2020
Rating Date	control	control	moisture	yield
Rating Type	percent	percent	percent	bu/A
Rating Unit	111 DA-B	111 DA-B	111 DA-B	111 DA-B
Trt-Eval Interval	0	0	1	1
Number of Decimals				

Trt No.	Treatment Name	Form Conc	Form Type	Rate Rate Unit	Appl Timing	Appl Code				
1	Enlist One	3.8	L	32 fl oz/a	POST	B	89	100	13.7	64.8
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
2	Perpetuo	2.3	L	6 fl oz/a	POST	B	96	100	13.6	69.5
	Enlist One	3.8	L	32 fl oz/a	POST	B				
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
3	Untreated						0	0	13.7	19.6
4	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	96	100	13.5	63.7
	Enlist One	3.8	L	32 fl oz/a	POST	B				
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
5	Fierce MTZ	2.64	L	1 pt/a	PRE	A	100	100	13.4	61.1
	Enlist One	3.8	L	32 fl oz/a	POST	B				
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
6	Fierce EZ	3.04	L	6 fl oz/a	PRE	A	100	100	12.8	66.4
	Perpetuo	2.3	L	6 fl oz/a	POST	B				
	Enlist One	3.8	L	32 fl oz/a	POST	B				
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
7	Fierce MTZ	2.64	L	1 pt/a	PRE	A	100	100	13.1	66.2
	Perpetuo	2.3	L	6 fl oz/a	POST	B				
	Enlist One	3.8	L	32 fl oz/a	POST	B				
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
8	Zidua PRO	4.09	L	6 fl oz/a	PRE	A	100	100	12.7	61.6
	Perpetuo	2.3	L	6 fl oz/a	POST	B				
	Enlist One	3.8	L	32 fl oz/a	POST	B				
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
9	Authority MTZ	45	WG	14 oz/a	PRE	A	100	100	14.7	64.6
	Anthem Maxx	4.3	L	2.5 fl oz/a	POST	B				
	Enlist One	3.8	L	32 fl oz/a	POST	B				
	Roundup PowerMax	4.5	SL	32 fl oz/a	POST	B				
	Induce		L	0.25 % v/v	POST	B				
	AMS		WG	17 lb/100 gal	POST	B				
	LSD P=.05						5.7	.	1.99	9.49
	Standard Deviation						3.9	0.0	1.36	6.51
	CV						4.49	0.0	10.12	10.9

Could not calculate LSD (% mean diff) for columns 3,4,9,12,13,14,15,19,21,24,26 because error mean square = 0.