

## Science for action at the local landscape scale

Paul Opdam · Joan Iverson Nassauer · Zhifang Wang ·  
Christian Albert · Gary Bentrup · Jean-Christophe Castella ·  
Clive McAlpine · Jianguo Liu · Stephen Sheppard ·  
Simon Swaffield

Received: 9 March 2013 / Accepted: 29 July 2013 / Published online: 4 August 2013  
© Springer Science+Business Media Dordrecht 2013

**Abstract** For landscape ecology to produce knowledge relevant to society, it must include considerations of human culture and behavior, extending beyond the natural sciences to synthesize with many other disciplines. Furthermore, it needs to be able to support landscape change processes which increasingly take the shape of deliberative and collaborative decision making by local stakeholder groups. Landscape ecology as described by Wu (Landscape Ecol 28:1–11, 2013) therefore needs three additional topics of investigation: (1) the local landscape as a boundary object that builds communication among disciplines

and between science and local communities, (2) iterative and collaborative methods for generating transdisciplinary approaches to sustainable change, and (3) the effect of scientific knowledge and tools on local landscape policy and landscape change. Collectively, these topics could empower landscape ecology to be a science for action at the local scale.

**Keywords** Community-based landscape planning · Cross-disciplinary synthesis · Capacity building · Science–practice interface · Sustainability · Transdisciplinary science

---

P. Opdam (✉)  
Alterra & Land Use Planning Group, Wageningen  
University, 6708 PB, Wageningen, The Netherlands  
e-mail: paul.opdam@wur.nl

J. I. Nassauer  
School of Natural Resources and Environment, University  
of Michigan, Ann Arbor, MI 48109-1115, USA

Z. Wang  
College of Architecture and Landscape Architecture,  
Beijing University, Beijing, China

C. Albert  
Institute of Environmental Planning, Leibniz Universität  
Hannover, 30419 Hannover, Germany

C. Albert  
Department of Environmental Politics, Helmholtz Centre  
for Environmental Research, UFZ, Leipzig, Germany

G. Bentrup  
USDA National Agroforestry Center, Lincoln,  
NE 68583-0822, USA

J.-C. Castella  
Institut de Recherche Pour le Développement (IRD),  
UMR 220 GRED, Vientiane, Laos People's Democratic  
Republic

J.-C. Castella  
Center for International Forestry Research (CIFOR),  
Bogor, Indonesia

C. McAlpine  
School of Geography, Planning and Environmental  
Management, The University of Queensland, Brisbane,  
QLD 4072, Australia

## Introduction

Wu has characterized landscape ecology as a highly interdisciplinary and transdisciplinary science of environmental heterogeneity “that aims to understand and improve the relationship between spatial pattern and ecological processes on a range of scales with the goal of achieving landscape sustainability” (Wu 2013). Quoting the Allerton Workshop report (Risser et al. 1984), which he described as the blueprint of North American landscape ecology, Wu noted that “...viewing landscape ecology as a branch of ecology, would ... tend to exclude the formal analysis of human cultural processes that form landscapes.” Instead he argued for the broader view proposed by the Allerton workshop, in which: “Landscape ecology is ... the synthetic intersection of many related disciplines...”.

However, none of the 20 most cited papers in *Landscape Ecology* listed by Wu extends in scope beyond environmental science to include human cultural processes. Even now, most papers in recent issues focus on environmental science. Papers exploring the interface between environmental and social sciences are unusual (a notable exception is offered by the recent special issue on landscape sustainability, Musacchio 2013), and transdisciplinary approaches (in which scientists work together with practitioners) are rare (some examples are Duff et al. 2009; Steingröver et al. 2010). We therefore assert that landscape ecology is still a long way from embodying the synthetic intersection envisioned in the Allerton report, and that a failure to achieve this synthesis has impeded landscape ecology’s capacity to contribute to landscape sustainability, conceived as a continuous reconciliation of societal objectives with landscapes’ capacities to deliver ecosystem services and maintain

biodiversity over the long term (cf. Clark and Dickson 2003).

## Sustaining local landscape change processes

To overcome this limitation, landscape ecology must consider how knowledge about pattern-process dynamics may constructively interact with societal processes. In order to understand such interactions, landscape ecology must extend to the social sciences and draw on the experiences of stakeholders and practitioners. Knowledge of environmental processes alone is not sufficient; knowledge of human behavior, values, and norms is essential to understanding the dynamics of coupled human and natural systems. Such understanding is increasingly regarded as indispensable to inform sustainable solutions to environmental problems (Carpenter and Folke 2006; Knight et al. 2006; Liu et al. 2007; McAlpine et al. 2010).

The need to bridge the gap between environmental science and policy has been addressed by many (see Arlettaz et al. 2010 for a recent example), but these typically focus upon national and international policies such as the Global Biodiversity Assessment and the Millennium Ecosystem Assessment (e.g. Carpenter et al. 2009; Perrings et al. 2011). However, responsibility for environmental policy implementation increasingly falls at local governance levels (Brown 2003; Brody et al. 2004; Gruber 2010; Swaffield 2012). By local level, we mean areas where physical landscapes interact directly with social networks of land owners, managers, and landscape users (Opdam 2013). Examples include local communities involved in forest management in the developing world (REDD+), regulation of non-point source water pollution in the US (Phase II-Clean Water Act), and natural resources planning in The Netherlands and New Zealand (Steingröver et al. 2010; Swaffield 2012). Persha et al. (2012) found that where local communities were involved in local forest governance, forest management was more likely to have sustainable outcomes (above-average tree species richness and subsistence livelihoods). However decentralization of governmental power in spatial planning (Beunen and Opdam 2011) challenges local communities to increase capabilities for planning and executing sustainable landscape solutions (Gray et al.

J. Liu

Department of Fisheries and Wildlife & Center for Systems Integration and Sustainability, Michigan State University, East Lansing, MI 48823, USA

S. Sheppard

Collaborative for Advanced Landscape Planning (CALP), Forest Resources Management and Landscape Architecture, University of British Columbia, Vancouver, BC V6T 1Z4, Canada

S. Swaffield

School of Landscape Architecture, Lincoln University, PO Box 85084, Christchurch, New Zealand

2005), and challenges landscape science to reconceive the context in which scientific knowledge is applied (Swaffield 2012), and to consider possible new requirements for actionable knowledge at a community level (Opdam 2013).

We assert that research at the scale of local human communities is therefore the key for landscape ecology to contribute significantly to sustainable landscape change. There is a growing consensus that sustainability must be achieved at the local level (United Nations 1992); it cannot be only a policy at higher levels of governance or a corporate commitment (Ostrom 2009). Local communities are where humans use landscapes to make a living and contribute to their quality of life, and where they adapt landscapes to create value from landscape services or prevent loss from external pressures such as climate change (Opdam 2013). Scientific support for such adaptation requires approaches based on integrated environmental, social and economic knowledge, made relevant within the local landscape context and for use in local landscape governance.

DeFries et al. (2012) highlight the need to build sustainability science capacity for solution-oriented approaches, and this also applies to the mainstream of landscape ecological methodology. Landscape ecology has employed many different measurement, assessment and evaluation methods, but it has only begun to apply iterative and reflexive approaches which start from societal demands and translate these into desired adaptations of the landscape structure. Such approaches typically make use of local knowledge to develop science-based interventions in co-production with local actors (Nassauer and Corry 2004; Duff et al. 2009; Steingröver et al. 2010). That there is still a major shortfall is illustrated by a recent review of 153 papers on ecosystem services research, revealing that public involvement is rare (Seppelt et al. 2011). Most papers published in *Landscape Ecology* take a purely analytical approach (including impact assessment and landscape change evaluation). To go further and suggest solutions that will change future landscapes, landscape ecology has to reach beyond its current boundaries. We argue that landscape ecological paradigms and methods must therefore expand to be responsive to local human communities by using iterative, design-oriented approaches. It will therefore be necessary to draw on and interact with knowledge,

paradigms, and methods from social sciences and spatial planning.

These research needs have been noted before but have not been systematically investigated. If scientific tools used in landscape ecology are to be salient to societal problem solving, their relevance should be improved and complemented by observations and measurements of their social impacts. Cases are needed to learn how scientific knowledge can be integrated into practice, and how scientific methods and tools can be adjusted to better support adaptation of local landscapes to future demands (Opdam 2010).

### Three additional research topics

These research challenges to “incorporate human cultural processes” (in the words of Risser et al. (1984) are not in the top-10 research topics proposed by Wu (2013). We therefore propose the following three additional research topics as essential for landscape ecology.

#### Investigating the local landscape as a boundary object

A boundary object (Star 2010) is plastic enough to adapt to local needs and to different conceptual perspectives, but is also robust enough to maintain conceptual coherence across scientific disciplines and across the science-practice boundary. We propose that the local landscape could serve as a boundary concept for landscape ecology, offering a common ground to scientists and practitioners with different backgrounds, values and interests (Nassauer 2012).

#### Developing iterative and collaborative methods for generating solutions

In situations in which stakeholders have divergent values and little agreement about problem definition, we propose that iterative methods developed in the design and planning disciplines and social sciences (Nassauer and Opdam 2008; Swaffield 2012), but rarely practiced in landscape ecology, may suggest new questions and approaches to actionable science.

Understanding the impact of landscape ecological knowledge and tools on local landscape change processes

Building capacity for local action requires a systematic scientific approach to measuring impact of science in society and learning how to optimize methods for a variety of situations. It is not enough to adopt new methods- we must also evaluate their effect and respond to this feedback.

### The local landscape as transdisciplinary boundary object

The concept of local landscape can provide a focus around which to organize collaboration between scientific disciplines and between science and practice. Knowledge formation and integration at the local landscape scale affords advantages that have not yet been adequately recognized and incorporated into landscape ecology. A local landscape can be known to its inhabitants and to scientists, practitioners and policymakers as a holistic entity, in which processes and values related to prosperity, livelihood and quality of life can be associated with biophysical characteristics (Sayer and Campbell 2004). Local landscapes are tangible to participants—in the field, in images, and in maps, and their visual character promotes the experience of local identity and sense of place. This inherent integration and “knowability” of the landscape scale (Swaffield 2005) stimulates building common visions, shared decision-making and collaborative invention of solutions (Nassauer 2012). Most significantly, the local landscape can also serve as a boundary object to merge environmental and social sciences. Existing terms with a related meaning are less likely to serve such a role. While “place” is mostly limited to social sciences (Swaffield et al. 2013) and “ecosystem” is mostly limited to the environmental science domain, the meaning of landscape is recognized in both social and environmental sciences. Employing landscapes as boundary objects can allow scientific concepts and terminology to be reframed in ways that are meaningful to multiple experts and stakeholders. For example, Termorshuizen and Opdam (2009) noted that the ecosystem concept may not be meaningful to local communities and social scientists. They proposed the term

“landscape services” as a boundary concept to expand the ecosystem services concept beyond its current ecological-economic limits into the social sciences and local landscape planning. Linking the local physical landscape with its human community would allow landscape ecology to contribute to theories of social–ecological systems (Ostrom 2009; Pickett et al. 2011; Cook et al. 2012; Opdam 2013). Concepts like resilience, adaptive capacity and adaptive governance could then enrich the pattern-process paradigm of landscape ecology and enable landscape ecologists to develop the spatial dimensions of social–ecological systems.

### Iterative and collaborative methods

Local implementation of environmental policy is an integral part of environmental governance. Landscape management and change is deliberated and negotiated by stakeholders with varying views and aspirations, and often, this negotiation has many uncertainties and little agreement about shared values (Hoppe 2011). Science-based assessments, alone, often are inadequate to foster creative action (Reed et al. 2006; Swaffield 2012). To become more effective in supporting such local processes, we advocate that solutions and further science questions suggested by landscape ecological knowledge be discussed, contested and reshaped collectively with practitioners through a social learning process (Pahl-Wostl 2009; Albert et al. 2012). This may require that scientific tools and inquiries be co-constructed and adapted with local stakeholders to be applicable to local problems and flexible enough to adjust to local values and interests (Cash et al. 2003).

Good examples of iterative co-production of landscape knowledge are emerging. For example, the credibility of maps of local environmental functions and values improves if local inhabitants can incorporate their knowledge in the mapping (Castella 2009; Pouwels et al. 2011). Participatory processes including interactive tools that engage local people have been used to map ecosystem services hotspots in Zanzibar (Fagerholm et al. 2012), to design landscape infrastructure networks for ecosystem services in the Netherlands (Steingröver et al. 2010), and to design community forestry systems in Laos (Bourgoin et al. 2012). Visualization techniques used within such

participatory processes have been found to increase understanding of scientific concepts and of trade-offs between future scenarios among local stakeholders (Sheppard and Meitner 2005; Schroth et al. 2011).

### **Effect of science and tools on local landscape change**

Capacity building in landscape ecology requires learning from applying knowledge and tools in the context of local practice (Opdam 2010). Landscape scientists may learn that the tools they consider as simple and useful are not perceived that way by practitioners (McIntosh et al. 2011); potential causes for that discrepancy need to be investigated. Developing usable tools requires systematic research to better understand the science–practice interface, for example, by experimenting with new scientific tools in practice and observe how practitioners respond and how the tool affects the social process.

Recent examples (Castella 2009; Bourgoin et al. 2012) have shown how collaborative approaches can be used to build geo-visualisation tools in landscape design. Such learning requires monitoring how these tools work in practice, and adjusting them to enhance their flexibility, validity and effectiveness. For example, Lusiana et al. (2011) measured users' perspectives on the validity of a landscape simulation model and determined the tool needed to be revised to better reflect the interests and time frames of local users. Cohen et al. (2012) evaluated the effectiveness of using visualizations of predicted snowpack to convey long-term implications of global climate change scenarios on local water supply. The insights obtained from such research can contribute to more effective landscape ecological tools to support the management of local landscape change.

### **Conclusions**

Landscape ecology science has not yet developed adequate capacity to support implementation of environmental policies at the local level. To do this requires much better understanding of the role of scientific knowledge and tools within social processes in local communities. This conclusion is consistent with the earliest aspirations of landscape ecology in America, as

reflected in the 1984 Allerton Workshop report, to include “the formal analysis of human cultural processes that form landscapes”. Integrating environmental and social sciences to shape action in particular locations is the specific competence of certain disciplines within landscape ecology, including landscape architecture and planning. It can also be seen as an aspiration for the entire interdisciplinary field of landscape ecology. We propose that for landscape ecology to become an interdisciplinary field it is necessary to increase its focus on human–nature relationships. We argue that to do so it is not enough to broadcast our findings to social sciences, but that we must improve our understanding of the arenas in which our knowledge is being interpreted, used for influencing power relations, and applied in negotiations about feasible solutions. We expect that this will result in enhanced influence of landscape ecology in societal processes. In such processes deliberation about how added values of landscape change are distributed among local actors play a key role (He et al. 2008). Therefore, pattern–process relationships should be attentive to values, and solutions should be offered as a range of options related to a variety of values, rather than as a single track to the future (Termorshuizen and Opdam 2009; Swaffield 2012). We argue that improving such a capacity requires systematic research on the impact of landscape ecological knowledge in local landscape change processes. Such research may employ social science methods in concert with natural science methods (for example in agent-based modeling, see Chen et al. 2012; Schouten et al. 2013). We argue that landscape ecology should more actively exemplify interdisciplinary endeavors (often in cooperation with other sciences) and contribute to understanding of socio-environmental systems. Fundamentally, we propose that the local landscape can be a common ground for scientists to find a shared pathway to interdisciplinary research and transdisciplinary understanding, and also bring new insights into the practice of landscape change adaptation. Interestingly, applying social research techniques to improve the effectiveness of conservation planning was recently proposed by Raymond and Knight (2013).

We identified three specific topics for research to move landscape ecology further toward exemplifying an effective transdisciplinary approach to achieving sustainable landscapes. Clearly, such an approach must build on what landscape ecology has accomplished over the past thirty years. A major contribution



of landscape ecology is the recognition that local landscape processes function within many different social and natural systems at multiple spatial scales (Liu and Taylor 2002; Liu et al. 2013), which highlights the need for concepts and procedures to link global and regional dynamics with local solutions (Swaffield and Primdahl 2006). Our intent is to reinvigorate and refocus the aim of landscape ecology towards cooperative knowledge production in order to better integrate landscape science into local practice, and to adjust scientific methods to better support actions at the local level.

**Acknowledgments** This paper is based on a symposium organized at the IALE World Congress of Landscape Ecology, Beijing, China, August 2011. This work was supported in part by a Grant to J. Nassauer from the NSF (# DBI-1052875 to the National Socio-Environmental Synthesis Center).

## References

- Albert C, Zimmermann Th, Knieling J, Von Haaren C (2012) Social learning can benefit decision-making in landscape planning: Gartow case study on climate change adaptation, Elbe valley biosphere reserve. *Landsc Urban Plan* 105:347–360
- Arlettaz R, Schaub M, Fournier J, Reichlin TS, Siervo A, Watson JEM, Braunisch V (2010) From publications to public actions: when conservation biologists bridge the gap between research and implementation. *Bioscience* 60:835–842
- Beunen R, Opdam P (2011) When landscape planning becomes landscape governance, what happens to the science? *Landsc Urban Plan* 100:324–326
- Bourgoin J, Castella J-C, Pullar D, Lestrelin G, Bouahom B (2012) Towards a land zoning negotiation-support platform: ‘Tips and tricks’ of participatory land-use planning in Lao PDR. *Landsc Urban Plan* 104:270–278
- Brody SD, Highfield W, Carrasco V (2004) Measuring the collective planning capabilities of local jurisdictions to manage ecological systems in southern Florida. *Landsc Urban Plan* 69:33–50
- Brown K (2003) Three challenges for a real-people-centred conservation. *Glob Ecol Biogeogr* 12:89–92
- Carpenter SR, Folke C (2006) Ecology for transformation. *Trends Ecol Evol* 21:309–315
- Carpenter SR, Mooney HA, Agard J, Capistrano D, Defries RS, Díaz S, Dietz T, Duraipappah AK, Oteng-Yeboah A, Pereira HM, Perrings C, Reid W, Sarukhan J, Scholes RJ, Whyte A (2009) Science for managing ecosystem services; Beyond the Millennium Ecosystem Assessment. *Proc Natl Acad Sci USA* 106:1305–1312
- Cash DW, Clark WC, Alcock F, Dickson NM, Eckley N, Guston DH, Jäger J, Mitchell RB (2003) Knowledge systems for sustainable environment. *Proc Natl Acad Sci USA* 100: 8086–8091
- Castella JC (2009) Assessing the role of learning devices and geovisualisation tools for collective action in natural resource management: experiences from Vietnam. *J Environ Manag* 90:1313–1319
- Chen X, Lupi F, An L, Sheely R, Viña A, Liu J (2012) Agent-based modeling of the effects of social norms on enrollment in payments for ecosystem services. *Ecol Model* 229:16–24
- Clark WC, Dickson NM (2003) Sustainability science: the emerging research program. *Proc Natl Acad Sci USA* 100:8059–8061
- Cohen SJ, Sheppard S, Shaw A, Flanders D, Burch S, Taylor B, Hutchinson D, Cannon A, Hamilton S, Burton B, Carmichael J (2012) Downscaling and visioning of mountain snow packs and other climate change implications in North Vancouver, British Columbia. *Mitig Adapt Strateg Glob Change* 17:25–49
- Cook E, Hall S, Larson K (2012) Residential landscapes as social-ecological systems: a synthesis of multi-scalar interactions between people and their home environment. *Urban Ecosyst* 15:19–52
- DeFries RS, Ellis EC, Chapin S, Matson PA, Turner BL, Agrawal A, Crutzen PJ, Field C, Gleick P, Kareiva PM, Lambin E, Ostrom E, Sanchez PA, Syvitski J (2012) Planetary opportunities: a social contract for global change science to contribute to a sustainable future. *Bioscience* 62:603–606
- Duff G, Garnett D, Jacklyn P, Landsberg J, Ludwig J, Morrison J, Novelty P, Walker D, Whitehead P (2009) A collaborative design to adaptively manage for landscape sustainability in north Australia: lessons from a decade of cooperative research. *Landscape Ecol* 24:1135–1143
- Fagerholm N, Käyhkö N, Ddumbaro F, Khamis M (2012) Community stakeholders’ knowledge in landscape assessments-mapping indicators for landscape services. *Ecol Ind* 18:421–433
- Gray I, Williams R, Phillips E (2005) Rural community and leadership in the management of natural resources: tensions between theory and practice. *J Environ Plan Policy Manag* 7:125–139
- Gruber JS (2010) Key principles of community-based natural resource management: a synthesis and interpretation of identified effective approaches for managing the commons. *Environ Manag* 45:52–66
- He G, Chen X, Liu W, Bearer S, Zhou S, Cheng LY, Zhang H, Ouyang Z, Liu J (2008) Distribution of economic benefits from ecotourism. *Environ Manag* 42:1017–1025
- Hoppe R (2011) Institutional constraints and practical problems in deliberative and participatory policy making. *Policy Politics* 39:163–186
- Knight AT, Cowling RM, Campbell BM (2006) An operational model for implementing conservation action. *Conserv Biol* 20:408–419
- Liu J, Taylor WW (2002) Integrating landscape ecology into natural resource management. Cambridge University Press, Cambridge
- Liu J, Dietz T, Carpenter SR, Alberti M, Folke C, Moran E, Pell AN, Deadman P, Kratz T, Lubchenco J, Ostrom E, Ouyang Z, Provencher W, Redman CL, Schneider SH, Taylor WW (2007) Complexity of coupled human and natural systems. *Science* 317:1513–1516
- Liu J, Hull V, Batistella M, DeFries R, Dietz T, Fu F, Hertel TW, Izaurralde RC, Lambin EF, Li S, Martinelli LA,

- McConnell WJ, Moran EF, Naylor R, Ouyang Z, Polenske KR, Reenberg A, de Miranda Rocha G, Simmons CS, Verburg PH, Vitousek PM, Zhang F, Zhu C (2013) Framing sustainability in a telecoupled world. *Ecol Soc* 18(2):26. <http://www.ecologyandsociety.org/vol18/iss2/art26/> [online]
- Lusiana B, Van Noordwijk M, Suyanto D, Mulia M, Joshi L, Cadisch G (2011) Users' perspectives on validity of a simulation model for natural resource management. *Int J Agric Sustain* 9:364–378
- McAlpine CA, Seabrook LM, Rhodes JR, Maron M, Smith C, Bowen ME, Butler SA, Powell O, Ryan JG, Fyfe CT, Adams-Hosking C, Smith A, Robertson O, Howes A, Cattarino L (2010) Can a problem-solving approach strengthen landscape ecology's contribution to sustainable landscape planning? *Landscape Ecol* 25:1155–1168
- McIntosh BS, Ascough JC II, Twery M, Chew J, Elmahdi A, Harou JJ, Hepting D, Cuddy S, Jakeman AJ, Chen S, Kassahun A, Lautenbach S, Matthews K, Merritt W, Quinn NWT, Rodriguez-Roda I, Sieber S, Stavenga M, Sulis A, Ticehurst J, Volk M, Wrobel M, van Delden H, El-Sawah S, Rizzoli A, Voinov A (2011) Environmental decision support systems (EDSS) development—challenges and best practices. *Environ Model Softw* 26:1389–1402
- Musacchio L (2013) Key concepts and research priorities for landscape sustainability. *Landscape Ecol* 28:995–998
- Nassauer JI (2012) Landscape as medium and method for synthesis in urban ecological design. *Landsc Urban Plan* 106: 221–229
- Nassauer JI, Corry RC (2004) Using normative scenarios in landscape ecology. *Landscape Ecol* 19:343–356
- Nassauer JI, Opdam P (2008) Design in science. *Landscape Ecol* 23:633–644
- Opdam P (2010) Learning science from practice. *Landscape Ecol* 25:821–823
- Opdam P (2013) Using ecosystem services in community based planning: science is not ready to deliver. In: Fu B, Jones B (eds) *Landscape ecology for sustainable environment and culture*. Springer, Berlin, pp 77–101
- Ostrom E (2009) A general framework for analyzing sustainability of social–ecological systems. *Science* 325:419–422
- Pahl-Wostl C (2009) A conceptual framework for analysing adaptive capacity and multi-level learning processes in resource governance regimes. *Glob Environ Change* 19:354–365
- Perrings C, Duraiappah A, Larigauderie A, Mooney H (2011) The biodiversity and ecosystem services science–policy interface. *Science* 331:1139–1140
- Persha L, Agrawal A, Chhatre A (2012) Social and ecological synergy: local rulemaking, forest livelihoods, and biodiversity conservation. *Science* 331:1606–1608
- Pickett STA, Cadenasso ML, Grove JM, Boone CG, Groffman PM, Irwin E, Kaushal SS, Marshall V, McGrath BP, Nilon CH, Pouyat RV, Szlavecz K, Troy A, Warren P (2011) Urban ecological systems: scientific foundations and a decade of progress. *J Environ Manag* 92:331–362
- Pouwels R, Opdam P, Jochem R (2011) Reconsidering the effectiveness of scientific tools for negotiating local solutions to conflicts between recreation and conservation with stakeholders. *Ecol Soc* 16(4):17. <http://www.ecologyandsociety.org/vol16/iss4/art17/> [online]
- Raymond CM, Knight AT (2013) Applying social research techniques to improve the effectiveness of conservation planning. *Bioscience* 63:320–321
- Reed MS, Fraser EDG, Dougill AJ (2006) An adaptive learning process for developing and applying sustainability indicators with local communities. *Ecol Econ* 59:406–418
- Risser PG, Karr JR, Forman RTT (1984) *Landscape ecology: directions and approaches*. Illinois Natural History Survey Special Publ. 2, Champaign
- Sayer J, Campbell B (2004) *The science of sustainable development: local livelihoods and the global environment*. Cambridge University Press, Cambridge
- Schouten M, Opdam P, Polman N, Westerhof E (2013) Resilience-based governance in rural landscapes: experiments with agri-environment schemes using a spatially explicit agent-based model. *Land Use Policy* 30:934–943
- Schroth O, Wissen Hayek U, Lange E, Sheppard SRJ, Schmid WA (2011) Multiple-case study of landscape visualizations as a tool in transdisciplinary planning workshops. *Landsc J* 30:53–71
- Seppelt R, Dormann CF, Eppink FV, Lautenbach S, Schmidt S (2011) A quantitative review of ecosystem services studies: approaches, shortcomings and the road ahead. *J Appl Ecol* 48:630–636
- Sheppard SRJ, Meitner M (2005) Using multi-criteria analysis and visualisation for sustainable forest management planning with stakeholder groups. *For Ecol Manag* 207:171–187
- Star SL (2010) This is not a boundary object: reflections on the origin of a concept. *Sci Technol Hum Values* 35:601–617
- Steingröver EG, Geertsema W, Van Wingerden WKRE (2010) Designing agricultural landscapes for natural pest control: a transdisciplinary approach in the Hoeksche Waard (The Netherlands). *Landscape Ecol* 25:825–838
- Swaffield SR (2005) Landscape as a way of knowing the world. In: Harvey S, Fieldhouse K (eds) *The cultured landscape: designing the environment in the 21st century*. Routledge, New York, pp 3–24
- Swaffield SR (2012) Empowering landscape ecology—connecting science to governance through design values. *Landscape Ecol* 27:1–9
- Swaffield SR, Primdahl J (2006) Spatial concepts in landscape analysis and policy: some implications of globalisation. *Landscape Ecol* 21:315–331
- Swaffield S, Primdahl J, Hoversten M (2013) Discursive relationships between landscape science, policy and management practice: concepts, issues and examples. In: Fu B, Jones B (eds) *Landscape ecology for sustainable environment and culture*. Springer, Berlin, pp 225–248
- Termorshuizen J, Opdam P (2009) Landscape services as a bridge between landscape ecology and sustainable development. *Landscape Ecol* 24:1037–1052
- United Nations (1992) *Agenda 21: The United Nations Programme of Action from Rio*. United Nations Environmental Programme, New York
- Wu J (2013) Key concepts and research topics in landscape ecology revisited: 30 years after the Allerton Park workshop. *Landscape Ecol* 28:1–11