

AUTHORS:**Jordan Pusateri Burroughs**

Dept. of Fisheries & Wildlife

Michigan State University

Thomas A. Dudek

MSU Extension, Ottawa County



J. Burroughs, MSU

“DEER-RESISTANT” PLANTS FOR HOMEOWNERS

conditions and the availability of alternative foods. Deer are creatures of habit, and prior movement patterns or foraging experience can help predict where damage can occur. New plantings added to an existing landscape already severely damaged by deer will likely suffer extreme browsing pressure.

Deer may sample some less palatable plants until they determine the plants are varieties they do not prefer. Snow cover may prevent deer from finding food, and high deer numbers can create competition for available food, which can cause hungry deer to eat whatever plants are available. Note that unpalatable landscape plants may still incur antler rubbing damage. Only physical protection such as exclusion techniques can reduce or prevent deer antler rub damage to trees and shrubs.

To minimize deer damage, select landscape and garden plants that are less preferred by deer. The following tables provide a guide to the relative likelihood of deer damage to plants used by Michigan landscape contractors and landowners. This information can be useful for both selecting plants that are less likely to be damaged by deer and identifying those ornamentals that frequently require protection. Plants listed as **rarely damaged** are infrequently fed upon by deer and are the best candidates for landscapes prone to deer damage. Deer sometimes feed on ornamentals listed as **seldom severely damaged**, but damage is usually minor and has limited effect on the shape or attractiveness of the plant. The category **occasionally damaged** includes plants that may be severely damaged by deer. Finally, ornamental plants in the **frequently damaged** category appear to be preferred by deer and usually require physical or chemical protection whenever deer are present.

Bulletin produced in cooperation with the Michigan State University Department of Fisheries and Wildlife and Department of Horticulture, MSUE Fisheries and Wildlife Area of Expertise Team, Michigan Dept. of Natural Resources and Michigan Natural Features Inventory.

**MICHIGAN STATE
UNIVERSITY
EXTENSION**

Damage to ornamental plants by white-tailed deer (*Odocoileus virginianus*) continues to increase. This damage has been associated with:

- Increasing deer abundance.
- Human population shifts to rural and suburban homesites.
- Maturing of abandoned agricultural lands into deer habitat.
- Landowner decisions to prevent deer hunting.
- Restrictions on firearm use in suburban regions.

Deer prefer to feed on certain plant species, including some ornamental plants used for landscaping. Additionally, ornamental plants may be more attractive to deer because they are fertilized and irrigated. Deer avoid feeding on some species of plants because they are less palatable. A technique to reduce deer browsing of landscape plants is to substitute less palatable species of plants for those that deer prefer to eat.

Though no plants are totally resistant to deer browsing, some are less palatable to deer and are less likely to receive heavy damage.

Whether deer will eat a particular plant species or variety depends on the deer's previous experience, nutritional needs, plant palatability, seasonal factors, weather

Before planting any of the following plant species, check to make sure that they are adapted to local climate and soil conditions. For additional information, contact your local county Michigan State University Extension office.



PLANTS RARELY DAMAGED

Botanical name	Common name
Perennials	
<i>Achillea</i> spp.	Yarrow
<i>Aconitum</i> spp.	Monkshood
<i>Allium</i> spp.	Onion
<i>Allium christophii</i>	Star of Persia
<i>Allium neapolitanum</i>	Daffodil garlic
<i>Allium ostrowskianum</i>	Lily leek
<i>Anemone x hybrida</i>	Japanese anemone
<i>Anemonella thalictroides</i>	Rue anemone
<i>Aquilegia</i> spp.	Columbine
<i>Arabis</i> spp.	Rockcress
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit
<i>Aubrieta deltoidea</i>	Rock cress
<i>Aurinia saxatilis</i>	Basket-of-gold
<i>Bergenia</i> spp.	Bergenia
<i>Ceratostigma plumbaginoides</i>	Plumbago
<i>Cimicifuga racemosa</i>	Snakeroot
<i>Colchicum autumnale</i>	Colchicum
<i>Colchicum speciosum</i>	Colchicum
<i>Consolida ambigua</i>	Larkspur
<i>Coreopsis verticillata</i>	Threadleaf coreopsis
<i>Cyclamen hederifolium</i>	Neapolitan cyclamen
<i>Dicentra spectabilis</i>	Bleeding heart
<i>Digitalis</i> spp.	Foxglove
<i>Dryopteris marginalis</i>	Wood fern
<i>Echinacea purpurea</i>	Purple coneflower
<i>Epimedium</i> spp.	Barrenwort
<i>Euphorbia</i> spp.	Euphorbia
<i>Fritillaria</i> spp.	Fritillary
<i>Galium odoratum</i>	Sweet woodruff
<i>Gloriosa superba</i>	Glory lily
<i>Hemerocallis 'Stella d'Oro'</i>	'Stella d'Oro' daylily
<i>Lamium maculatum</i>	Deadnettle
<i>Lavandula</i> spp.	Lavender
<i>Linaria vulgaris</i>	Toadflax
<i>Lindera benzoin</i>	Native spicebush
<i>Lychnis coronaria</i>	Rose campion
<i>Matteuccia struthiopteris</i>	Ostrich fern
<i>Narcissus</i> spp.	Daffodil
<i>Osmunda regalis</i> var. <i>spectabilis</i>	Royal fern
<i>Pachysandra procumbens</i>	Allegheny spurge
<i>Pachysandra terminalis</i>	Japanese spurge
<i>Papaver orientale</i>	Oriental poppy
<i>Perovskia atriplicifolia</i>	Russian sage
<i>Rudbeckia</i> spp.	Coneflower
<i>Salvia</i> spp.	Sage
<i>Santolina chamaecyparissus</i>	Lavender cotton
<i>Scilla</i> spp.	Squill
<i>Stachys byzantina</i>	Lamb's ears
<i>Tanacetum vulgare</i>	Common tansy
<i>Thymus</i> spp.	Thyme
<i>Tiarella cordifolia</i>	Foam flower
<i>Yucca</i> spp.	Yucca

Botanical name	Common name
Annuals	
<i>Ageratum houstonianum</i>	Ageratum
<i>Anethum graveolens</i>	Common dill
<i>Antirrhinum majus</i>	Snapdragon
<i>Capsicum annuum</i>	Hot peppers
<i>Capsicum frutescens</i>	Sweet peppers
<i>Citrulus lanatus</i>	Watermelon
<i>Cucumis melo cantalupensis</i>	Cantaloupe
<i>Cucumis sativus</i>	Cucumber
<i>Hyacinthus orientalis</i>	Hyacinth
<i>Lobularia maritima</i>	Sweet alyssum
<i>Nicotiana</i> spp.	Flowering tobacco
<i>Pelargonium</i> spp.	Scented geranium
<i>Rheum rhabarbarum</i>	Rhubarb
<i>Solanum melongena</i>	Eggplant
<i>Tagetes</i> spp.	Marigold
<i>Tropaeolum majus</i>	Nasturtium
Botanical name	
Ornamental Grasses	
Ravennae grass, hardy pampas grass	
<i>Saccharum ravennae</i>	
Japanese silver grass	
<i>Miscanthus sinensis</i>	
Switch grass	
<i>Panicum virgatum</i>	
Tall purple moor grass	
<i>Molinia litoralis</i>	
<i>Molinia litoralis</i>	
Feather-reed grass	
<i>Calamagrostis xacutifolia</i>	
Northern sea oats	
<i>Chasmanthium latifolium</i>	
Fountain grass	
<i>Pennisetum orientale</i>	
'Karley Rose'	
Japanese grass	
<i>Hakonechloa macra</i>	
'Aureola'	
Sedges	
<i>Carex morrowii</i>	
<i>Carex oshimensis</i>	
<i>Carex flagellifera</i>	
'Variegata'	
'Evergold'	
'Toffee Twist'	

PLANTS OCCASIONALLY DAMAGED

Botanical name

Native grasses

Andropogon gerardii
Bouteloua curtipendula
Carex muskingumensis
Carex pennsylvanica
Elymus canadensis
Koeleria macrantha
Luzula multiflora
Panicum virgatum
Schizachrium scoparium
Sorghastrum nutans
Sprobolis heterolepis

Shrubs

Buxus sempervirens
Ilex opaca
Leucothoe fontanesiana
Pieris japonica

Trees

Betula papyrifera
Picea pungens

Common name

Big bluestem
 Sideoats grama
 Palm sedge
 Pennsylvania sedge
 Canada wild rye
 Prairie June grass
 Woodrush
 Switch grass
 Little bluestem
 Indian grass
 Prairie dropseed

Common boxwood
 American holly
 Drooping leucothoe
 Japanese pieris

Paper birch
 Colorado blue spruce

Botanical name

Perennials

Asparagus officinalis
Campsis radicans
Parthenocissus quinquefolia
Potentilla fruticosa

Annuals

Abelmoschus esculentus
Cucurbita pepo
Raphanus sativus
Solanum tuberosum

Shrubs

Cornus racemosa
Cotinus coggygria
Cotoneaster spp.
Cotoneaster apiculatus
Cotoneaster horizontalis
Cryptomeria japonica
Forsythia x intermedia
Hamamelis virginiana
Hibiscus syriacus
Hydrangea anomala petiolaris
Hydrangea arborescens
Hydrangea paniculata
Ilex crenata
Ilex x meserveae
Juniperus virginiana
Ligustrum x vicaryi
Lonicera x heckrottii
Philadelphus coronarius
Pyracantha coccinea
Rhododendron spp.
Rhododendron carolinianum
Rhododendron maximum
Rhus typhina
Rosa rugosa
Salix spp.
Spiraea x bumalda
Spiraea prunifolia
Syringa x persica
Syringa villosa
Viburnum x juddii
Viburnum carlesii
Viburnum plicatum tomentosum
Viburnum rhytidophyllum
Weigela florida

Trees

Abies concolor
Acer griseum
Acer rubrum
Acer saccharinum
Acer saccharum
Aesculus hippocastanum
Amelanchier arborea
Amelanchier laevis
 White fir
 Paperbark maple
 Red maple
 Silver maple
 Sugar maple
 Common horsechestnut
 Downy serviceberry
 Allegheny serviceberry

PLANTS SELDOM SEVERELY DAMAGED

Botanical name

Shrubs

Celastrus scandens
Cornus florida
Cornus kousa
Cornus sericea
Crataegus laevigata
Enkianthus campanulatus
Forsythia spp.
Ilex cornuta
Ilex glabra
Juniperus chinensis
Kolkwitzia amabilis
Pinus mugo
Salix matsudana tortuosa
Sassafras albidum
Syringa vulgaris
Wisteria floribunda

Trees

Betula pendula
Fagus sylvatica
Gleditsia triacanthos
Kalmia latifolia
Picea abies
Picea glauca
Pinus nigra
Pinus resinosa
Pinus rigida
Prunus serrulata

Common name

American bittersweet
 Flowering dogwood
 Kousa dogwood
 Red osier dogwood
 English hawthorn
 Redvein enkianthus
 Forsythia
 Chinese holly
 Inkberry
 Chinese junipers
 Beautybush
 Mugo pine
 Corkscrew willow
 Common sassafras
 Common lilac
 Japanese wisteria

European white birch
 European beech
 Honey locust
 Mountain laurel
 Norway spruce
 White spruce
 Austrian pine
 Red pine
 Pitchpine
 Japanese flowering cherry

Botanical name	Common name
Trees (continued)	
<i>Chaenomeles speciosa</i>	Japanese flowering quince
<i>Larix decidua</i>	European larch
<i>Magnolia x soulangiana</i>	Saucer magnolia
<i>Metasequoia glyptostroboides</i>	Dawn redwood
<i>Pinus strobus</i>	Eastern white pine
<i>Prunus avium</i>	Sweet cherry
<i>Pseudotsuga menziesii</i>	Douglas fir
<i>Pyrus communis</i>	Common pear
<i>Quercus alba</i>	White oak
<i>Quercus prinus</i>	Chestnut oak
<i>Quercus rubra</i>	Northern red oak
<i>Syringa reticulata</i>	Japanese tree lilac
<i>Tilia cordata 'Greenspire'</i>	Littleleaf linden
<i>Tilia Americana</i>	Basswood
<i>Tsuga canadensis</i>	Eastern hemlock
<i>Tsuga caroliniana</i>	Carolina hemlock

PLANTS FREQUENTLY DAMAGED

Botanical name	Common name
Perennials	
<i>Aegopodium podagraria</i>	Bishop's weed
<i>Athyrium niponicum</i> var. <i>pictum</i>	Japanese painted fern
<i>Syringa reticulata</i>	Wallflower
<i>Clematis</i> spp.	Clematis
<i>Euonymus fortunei</i> var. <i>coloratus</i>	Wintercreeper euonymus
<i>Euonymus fortunei</i> 'Kewensis'	Wintercreeper
<i>Fragaria</i> spp.	Strawberries
<i>Hedera helix</i>	English ivy
<i>Hemerocallis</i> spp.	Daylily
<i>Hosta</i> spp.	Hosta
<i>Iberis sempervirens</i>	Candytuft
<i>Lilium</i> spp.	Lily
<i>Polygonatum biflorum</i>	Solomon's seal
<i>Trillium</i> spp.	Trillium
<i>Tulipa</i> spp.	Tulips
<i>Vinca minor</i>	Periwinkle
Annuals	
<i>Beta vulgaris</i>	Beets
<i>Brassica oleracea</i>	Kohlrabi
<i>Brassica oleracea botrytis</i>	Cauliflower
<i>Brassica oleracea capitata</i>	Cabbage
<i>Brassica oleracea italica</i>	Broccoli

Botanical name	Common name
Annuals (continued)	
<i>Brassica rapa</i>	Turnip
<i>Daucus carota sativa</i>	Carrot
<i>Helianthus</i> spp.	Sunflower
<i>Ipomoea batatas</i>	Potatoes, sweet
<i>Lactuca sativa</i>	Lettuce
<i>Matthiola incarna</i>	Stock
<i>Pelargonium</i> spp.	Geranium
<i>Phaseolus</i> spp.	Beans
<i>Pisum sativum</i>	Peas
<i>Ranunculus asiaticus</i>	Buttercup
<i>Spinacia oleracea</i>	Spinach
<i>Viola</i> spp.	Pansies & violas
<i>Zea mays</i>	Corn, sweet
Shrubs	
<i>Chamaecyparis thyoides</i>	Atlantic white cedar
<i>Euonymus alatus</i>	Winged euonymus
<i>Rhododendron</i> spp.	Rhododendrons
<i>Rhododendron</i> spp.	Evergreen azaleas
<i>Rhododendron catawbiense</i>	Catawba rhododendron
<i>Rhododendron periclymenoides</i>	Pinxterbloom azalea
<i>Rosa x hybrid</i>	Hybrid tea rose
<i>Taxus</i> spp.	Yews
<i>Taxus baccata</i>	English yew
<i>Taxus brevifolia</i>	Western yew
<i>Taxus cuspidate</i>	Japanese yew
<i>Thuja occidentalis</i>	American arborvitae
Trees	
<i>Abies balsamea</i>	Balsam fir
<i>Abies fraseri</i>	Fraser fir
<i>Acer platanoides</i>	'Crimson King' maple
<i>Cercis canadensis</i>	Eastern redbud
<i>Cornus mas</i>	Cornelian cherry dogwood
<i>Malus</i> spp.	Apples
<i>Prunus</i> spp.	Cherries
<i>Prunus</i> spp.	Plums
<i>Sorbus aucuparia</i>	European mountain ash

Tables based on text by M.J. Fargione, P.D. Curtis and M.E. Richmond. 1991. Resistance of woody ornamental plants to deer damage. Ithaca, N.Y.: Cornell Coop. Ext. with information from Dr. Arthur Cameron, MSU Department of Horticulture.

PLEASE REMEMBER:
Under some conditions, deer may eat unpalatable or "deer-resistant" plants — no plant species will be avoided by deer under all conditions.

